

[MS-NNTP]: NT LAN Manager (NTLM) Authentication: Network News Transfer Protocol (NNTP) Extension

Intellectual Property Rights Notice for Protocol Documentation

- This protocol documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the protocols, and may distribute portions of it in your implementations of the protocols or your documentation as necessary to properly document the implementation. This permission also applies to any documents that are referenced in the protocol documentation.
- Microsoft does not claim any trade secret rights in this documentation.
- Microsoft has patents that may cover your implementations of the protocols. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. If you are interested in obtaining a patent license, please contact protocol@microsoft.com.
- The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

This protocol documentation is intended for use in conjunction with publicly available standard specifications, network programming art, and Microsoft Windows distributed systems concepts, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

A protocol specification does not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them.

Revision Summary

Date	Revision History	Revision Class	Comments
07/20/2007	0.1	Major	MCPPE Milestone 5 Initial Availability
09/28/2007	0.1.1	Editorial	Revised and edited the technical content.
10/23/2007	1.0	Major	Updated and revised the technical content.
11/30/2007	1.0.1	Editorial	Revised and edited the technical content.

Date	Revision History	Revision Class	Comments
01/25/2008	1.0.2	Editorial	Revised and edited the technical content.

Table of Contents

1	Introduction	5
1.1	Glossary	5
1.2	References	6
1.2.1	Normative References	6
1.2.2	Informative References.....	6
1.3	Protocol Overview (Synopsis).....	7
1.4	Relationship to Other Protocols.....	9
1.5	Prerequisites/Preconditions	9
1.6	Applicability Statement	9
1.7	Versioning and Capability Negotiation.....	9
1.8	Vendor-Extensible Fields	10
1.9	Standards Assignments.....	10
2	Messages	11
2.1	Transport	11
2.2	Message Syntax	11
2.2.1	AUTHINFO GENERIC Extensions	11
2.2.1.1	NNTP_AUTH_NTLM_Initiation_Command Message.....	12
2.2.1.2	NNTP_NTLM_Supported_Response Message	12
2.2.1.3	NNTP_AUTH_NTLM_Blob_Response Message	12
2.2.1.4	NNTP_AUTH_Fail_Response Message.....	12
2.2.1.5	NNTP_AUTH_NTLM_Succeeded_Response Message	12
2.2.1.6	NNTP_AUTH_NTLM_Blob_Command Message	13
2.2.1.7	AUTHINFO GENERIC Discovery Message	13
2.2.2	NNTP Server Messages	13
2.2.3	NNTP Client Messages	14
3	Protocol Details	15
3.1	Client Details	15
3.1.1	Abstract Data Model	15
3.1.1.1	NNTP State Model.....	15
3.1.1.2	NTLM Software Interaction	16
3.1.2	Timers	17
3.1.3	Initialization	17
3.1.4	Higher-Layer Triggered Events.....	17
3.1.5	Message Processing Events and Sequencing Rules	17
3.1.5.1	Receiving an NNTP_NTLM_Supported_Response Message.....	17
3.1.5.2	Receiving an NNTP_NTLM_Not_Supported_Response	17
3.1.5.3	Receiving an NNTP_AUTH_NTLM_Blob_Response	17
3.1.5.3.1	Error from NTLM	18
3.1.5.3.2	NTLM Reports Success and Returns an NTLM Message.....	18
3.1.5.4	Receiving an NNTP_AUTH_NTLM_Succeeded_Response Message	18
3.1.5.5	Receiving an NNTP_AUTH_Fail_Response.....	18
3.1.6	Timer Events.....	18
3.1.7	Other Local Events	18
3.2	Server Details.....	19
3.2.1	Abstract Data Model	19
3.2.1.1	NNTP State Model.....	19
3.2.1.2	NTLM Software Interaction	20
3.2.2	Timers	21
3.2.3	Initialization	21
3.2.4	Higher-Layer Triggered Events.....	21

3.2.5	Message Processing Events and Sequencing Rules	21
3.2.5.1	Receiving an NNTP_AUTH_NTLM_Initiation_Command Message	21
3.2.5.2	Receiving an NNTP_AUTH_NTLM_Blob_Command Message	21
3.2.5.2.1	NTLM Returns Success and an NTLM Message	21
3.2.5.2.2	NTLM Indicates the Authentication Completed Successfully	22
3.2.5.2.3	NTLM Indicates That the User Name or Password Was Incorrect	22
3.2.5.2.4	NTLM Returns a Failure Status Indicating Any Other Error	22
3.2.5.2.5	NTLM Reports Success and Returns an NTLM Message	22
3.2.6	Timer Events	22
3.2.7	Other Local Events	22
4	Protocol Examples	23
4.1	NNTP Client Successfully Authenticates to an NNTP Server	23
4.2	NNTP Client Does Not Successfully Authenticate to an NNTP Server	25
5	Security	28
5.1	Security Considerations for Implementers	28
5.2	Index of Security Parameters	28
6	Appendix A: Windows Behavior	29
7	Index	30

1 Introduction

The NT LAN Manager (NTLM) Authentication: Network News Transfer Protocol (NNTP) Extension specifies the use of **NTLM** authentication by NNTP to facilitate client authentication to a Windows-based NNTP server. For more information about NTLM authentication, see [\[MS-NLMP\]](#).

NNTP specifies a protocol for the distribution, inquiry, retrieval, and posting of news articles by using a reliable stream-based transmission of news. For a detailed definition of NNTP, see [\[RFC977\]](#).

This extension uses the NNTP **AUTHINFO GENERIC command** and **NNTP response** codes to negotiate NTLM authentication and send authentication data. The NNTP AUTHINFO GENERIC command is specified in [\[RFC2980\]](#) section 3.1.3.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

**base64
Challenge/Response Authentication
NT LAN Manager Protocol (NTLM)**

The following terms are specific to this document:

AUTHINFO GENERIC Command: A Network News Transfer Protocol (NNTP) command that is used to send authentication information, as specified in [\[RFC2980\]](#). The structure of the AUTHINFO GENERIC command, as used in [MS-NNTP] is:

```
AUTHINFO GENERIC NTLM<CR><LF>
```

The authenticator name, as defined in [\[RFC2980\]](#), is NTLM. The optional arguments field, as defined in [\[RFC2980\]](#), is not used.

Connection-Oriented NTLM: One of the two variants of the [NTLM Authentication Protocol](#).

NNTP Response: A message that is sent by an NNTP server in response to a message from an NNTP client. The structure of this message, as specified in [\[RFC977\]](#), is:

```
<nnn> <response text><CR><LF>
```

NTLM AUTHENTICATE_MESSAGE: A packet that defines an NTLM authenticate message that is sent from the client to the server after the CHALLENGE_MESSAGE is processed by the client. The message structure and other details of this packet are specified in [MS-NLMP].

NTLM CHALLENGE_MESSAGE: A packet that defines an NTLM challenge message that is sent from the server to the client. The CHALLENGE_MESSAGE is generated by the local **NTLM software** and passed to the application that supports embedded NTLM authentication. This message is used by the server to challenge the client to prove its identity. The message structure and other details of this packet are specified in [MS-NLMP].

NTLM Message: A message that carries NTLM authentication information. Its payload data is passed to the application that supports embedded NTLM authentication by the **NTLM software** that is installed on the local computer. NTLM messages are transmitted between the

client and server that are embedded in the application protocol that is using NTLM authentication. There are three types of NTLM messages:

- NEGOTIATE_MESSAGE
- CHALLENGE_MESSAGE
- AUTHENTICATE_MESSAGE

NTLM NEGOTIATE_MESSAGE: A packet that defines an NTLM negotiate message that is sent from the client to the server. The NEGOTIATE_MESSAGE is generated by the local **NTLM software** and passed to the application that supports embedded NTLM authentication. This message allows the client to specify its supported NTLM options to the server. The message structure and other details are specified in [MS-NLMP].

NTLM Software: Software that implements the NTLM Authentication Protocol, as specified in [MS-NLMP].

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)", March 2007.

[MS-NLMP] Microsoft Corporation, "[NT LAN Manager \(NTLM\) Authentication Protocol Specification](#)", June 2007.

[RFC977] Kantor, B., and Lapsley, P., "Network News Transfer Protocol", RFC 977, February, 1986, <http://www.ietf.org/rfc/rfc977.txt>

[RFC1521] Borenstein, N., and Freed, N., "MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for Specifying and Describing the Format of Internet Message Bodies", RFC 1521, September, 1993, <http://www.ietf.org/rfc/rfc1521.txt>

[RFC2980] Barber, S. "Common NNTP Extensions", RFC 2980, October 2000, <http://www.ietf.org/rfc/rfc2980.txt>

[RFC4234] Crocker, D., Ed. and Overell, P., "Augmented BNF for Syntax Specifications: ABNF", RFC 4234, October 2005, <http://www.ietf.org/rfc/rfc4234.txt>

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

1.2.2 Informative References

[SSPI] Microsoft Corporation, "SSPI", <http://msdn2.microsoft.com/en-us/library/aa380493.aspx>

1.3 Protocol Overview (Synopsis)

Client applications that connect to the Network News Transport Protocol (NNTP) service that is included in Windows 2000 Server and Windows Server 2003 can use Windows NT LAN Manager (NTLM) authentication.

The NT LAN Manager (NTLM) Authentication: Network News Transfer Protocol (NNTP) Extension specifies how an NNTP client and NNTP server can use the [NTLM Authentication Protocol](#), as specified in [MS-NLMP], so that the NNTP server can authenticate the NNTP client. NTLM is a **challenge/response authentication** protocol that depends on the application layer protocols to transport NTLM packets from client to server and from server to client.

The NTLM Authentication: NNTP Extension defines how NNTP is extended to perform authentication by using the NTLM Authentication Protocol. The NNTP standard defines an extensibility mechanism for arbitrary authentication protocols to be plugged into the core protocol. This mechanism is the AUTHINFO GENERIC mechanism, as specified in [\[RFC2980\]](#) section 3.1.3. A client that requests NTLM authentication and a server that processes the authentication must stay within the framework of the AUTHINFO GENERIC mechanism.

The NTLM Authentication: NNTP Extension is an embedded protocol in which NTLM authentication data is first transformed into a **base64** representation, and then formatted by padding with NNTP status codes and NNTP keywords as defined by the AUTHINFO GENERIC mechanism. The base64 encoding and the formatting is rudimentary, and solely intended to make the NTLM data look like other NNTP commands and responses. The following diagram illustrates the sequence of transformations that are performed on an **NTLM message** to produce a message that can be sent over NNTP.




Figure 1: Relationship between NTLM message and NNTP: NTLM Authentication Protocol message

The NTLM Authentication: NNTP Extension is a pass-through protocol that does not specify the structure of NTLM information. Instead, the protocol relies on the software that implements the NTLM Authentication Protocol (as specified in [MS-NLMP]) to process each NTLM message to be sent or received.

The NTLM Authentication: NNTP Extension defines a server and a client role.

When NNTP wants to perform an NTLM authentication, it needs to interact with the **NTLM software** appropriately. Below is an overview of this interaction.

If acting as an NNTP client:

1. The NTLM software returns the first NTLM message to the client, to be sent to the server.
2. The client should apply the base64 encoding and NNTP-padding transformations that were mentioned earlier and are described in detail later in this document in order to produce an NNTP message and send this message to the server.

3. The client should wait for a response from the server. When the response is received, the client checks to see whether it indicates the end of authentication (success or failure), or that authentication is continuing.
4. If the authentication is continuing, the response message is stripped of the NNTP padding, base64 decoded, and passed into the NTLM software, upon which the NTLM software may return another NTLM message that needs to be sent to the server. Steps 2 through 4 are repeated until authentication succeeds or fails.

If acting as an NNTP server:

1. The server waits to receive the first NNTP authentication message from the client.
2. When an NNTP message is received from the client, the NNTP padding is removed, the message base64 decoded and the resulting NTLM message is passed into the NTLM software.
3. The NTLM software will return a status that indicates whether authentication completed successfully or failed; or whether more NTLM messages need to be exchanged to complete the authentication.
4. If the authentication is continuing, the NTLM software will return an NTLM message that needs to be sent to the server. This message is base64 encoded, and the NNTP padding is applied and sent to the client. Steps 2 through 4 are repeated until authentication succeeds or fails.

The sequence that follows shows the typical flow of packets between client and server after NTLM authentication has been selected.

1. The NNTP client sends an **NTLM NEGOTIATE_MESSAGE** that is embedded in an [NNTP_AUTH_NTLM Blob Command](#) packet to the server.
2. The NNTP client sends an NTLM NEGOTIATE_MESSAGE, and the NNTP server sends an **NTLM CHALLENGE_MESSAGE** that is embedded in an NNTP packet to the client.
3. In response, the NNTP client sends an **NTLM AUTHENTICATE_MESSAGE** that is embedded in an NNTP packet.
4. The server then sends an NNTP Response to the client to successfully complete the authentication process.

The NTLM NEGOTIATE_MESSAGE, NTLM CHALLENGE_MESSAGE, and NTLM AUTHENTICATE_MESSAGE packets contain NTLM authentication data that must be processed by the NTLM software that is installed on the local computer. How to retrieve and process the NTLM message is specified in [MS-NLMP].

Implementers of the NTLM Authentication: NNTP Extension (as specified in [MS-NNTP]) must have a working knowledge of:

- NNTP, as specified in [RFC977](#) and [RFC2980](#).
- The Multipurpose Internet Mail Extensions (MIME) base64 encoding method, as specified in [RFC1521](#).
- The NTLM Authentication Protocol, as specified in [MS-NLMP].

1.4 Relationship to Other Protocols

The NT LAN Manager (NTLM) Authentication: Network News Transfer Protocol (NNTP) Extension uses the NNTP AUTHINFO GENERIC extension mechanism as specified in [\[RFC2980\]](#) and is an embedded protocol. Unlike standalone application protocols, such as Telnet or the Hypertext Transfer Protocol (HTTP), the packets for this protocol extension are embedded in NNTP commands and server responses.

This extension specifies only the sequence in which an NNTP server and NNTP client must exchange NTLM messages in order to successfully authenticate the client to the server. It does not specify how the client obtains NTLM messages from the local NTLM software, or how the NNTP server should process NTLM messages.

The NNTP client and NNTP server implementations depend on the availability of an implementation of the [NTLM Authentication Protocol](#) (as specified in [MS-NLMP]) in order to obtain and process NTLM messages; and on the availability of the base64 encoding and decoding mechanisms (as specified in [\[RFC1521\]](#)) to encode and decode the NTLM messages that are embedded in NNTP packets.

1.5 Prerequisites/Preconditions

Because the NTLM Authentication: NNTP Extension depends on NTLM to authenticate the client to the server, both server and client must have access to an implementation of the [NTLM Authentication Protocol](#) (as specified in [MS-NLMP]) that is capable of supporting **connection-oriented NTLM**.[<1>](#)

1.6 Applicability Statement

The NTLM Authentication: NNTP Extension must be used only when implementing an NNTP client that needs to authenticate to an NNTP server by using NTLM authentication.

1.7 Versioning and Capability Negotiation

This document covers versioning issues for the NTLM Authentication: NNTP Extension in the following areas:

- Security and Authentication Methods: The NTLM Authentication: NNTP Extension supports the NTLMv1 and NTLMv2 authentication methods, as specified in [\[MS-NLMP\]](#).
- Capability Negotiation: NNTP does not support the negotiation of which NTLM Authentication Protocol version to use. Instead, the NTLM Authentication Protocol version must be configured on both the client and the server prior to authentication. Mismatches of NTLM Authentication Protocol versions are handled by the NTLM Authentication Protocol implementation, and not by NNTP.

RFC 2980, as specified in [\[RFC2980\]](#), does document the framework within which NNTP clients may discover (and NNTP servers may advertise) the ability to perform any authentication mechanism, including NTLM in particular.

The client discovers whether the server supports NTLM authentication by using the AUTHINFO GENERIC command, which is issued without arguments. The server responds with a list of supported authentication mechanisms. If NTLM is supported, the server will include the word "NTLM" in the list. The messages involved are formally described in other sections of this document.

1.8 Vendor-Extensible Fields

The NTLM Authentication: NNTP Extension does not have any vendor-extensible fields.

1.9 Standards Assignments

The NTLM Authentication: NNTP Extension does not use any standards assignments.

2 Messages

The following sections specify how NTLM Authentication: NNTP Extension messages are transported and message syntax.

2.1 Transport

The NTLM Authentication: NNTP Extension does not establish transport connections. Instead, extension messages are encapsulated in NNTP commands and responses. Section [2.2](#) specifies how these messages MUST be encapsulated in NNTP commands.

2.2 Message Syntax

The NTLM Authentication: NNTP Extension messages are divided into three categories, depending on whether the message was sent by the server or the client.

The formal syntax of messages is provided in augmented Backus-Naur Form (ABNF), as specified in [\[RFC4234\]](#).

2.2.1 AUTHINFO GENERIC Extensions

The first category of NNTP messages are messages that fall within the AUTHINFO GENERIC extensibility framework. These messages are defined in [\[RFC2980\]](#). Some of the messages have parameters that must be customized by the extensibility mechanism, such as NTLM. This section describes the customizations that are introduced by the NTLM Authentication: NNTP Extension.

In addition to the messages specified in this section, the NNTP server returns a failure status code as defined by [\[RFC2980\]](#), if NTLM is not supported. This message is a standard message that is defined by the NNTP standard and is not discussed here. This message is referred to as NNTP_NTLM_Not_Supported_Response in this document.

During every part of the authentication exchange, the client must parse the status codes on the messages that are sent by the server and interpret them as specified in [\[RFC2980\]](#). The status codes define various states, such as success in authenticating, failure to authenticate, and any other arbitrary failures that the software may encounter.

The client may receive any one of the following responses during authentication. The syntax and meaning of all these messages are completely defined in [\[RFC2980\]](#)—except for the first message, for which RFC 2980 does not define the data that is encapsulated in the NNTP message, and leaves the definition and processing of that data to the extension mechanism. This specification focuses on defining that data. The potential response messages received by the client are:

- [NNTP_AUTH_NTLM_Blob_Response](#)
- [NNTP_AUTH_Fail_Response](#)
- [NNTP_AUTH_NTLM_Succeeded_Response](#)
- NNTP_AUTH_Other_Failure_Response, which is actually a class of messages whose syntax and interpretation are defined in [\[RFC2980\]](#) and [\[RFC977\]](#). They indicate an abnormal termination of the NTLM authentication negotiation, which may occur for various reasons such as software errors or lack of system resources. For the purposes of this document, NNTP_AUTH_Other_Failure_Response is defined as any NNTP message other than NNTP_AUTH_NTLM_Succeeded_Response, NNTP_AUTH_Fail_Response and NNTP_AUTH_NTLM_Blob_Response. The interpretation of NNTP_AUTH_Other_Failure_Response,

and the suggested client action when receiving such a message, is defined in [\[RFC2980\]](#). This message represents an exit from AUTH and is, as such, not really part of AUTH negotiation.

2.2.1.1 NNTP_AUTH_NTLM_Initiation_Command Message

Section 3.1.3 of [\[RFC2980\]](#) defines the syntax of the AUTHINFO GENERIC command that is used to initiate authentication. The *authenticator* parameter MUST be the string "NTLM" for the NTLM Authentication: NNTP Extension. The optional *arguments* parameter MUST NOT be used. The command to initiate an NTLM conversation by a client is shown below in ABNF form. This message is referred to as **NNTP_AUTH_NTLM_Initiation_Command** in this document:

```
AUTHINFO GENERIC NTLM<CR><LF>
```

2.2.1.2 NNTP_NTLM_Supported_Response Message

If NTLM is supported, the NNTP server will respond with an NNTP message that is prefixed with a status code of 381 to indicate that NTLM is supported. The only useful data in this message is the status code 381. The remaining data is human-readable data and has no impact on the authentication. The syntax of this command in ABNF form is shown below. This message is referred to as **NNTP_NTLM_Supported_Response** in this document.

```
381 <human-readable-string><CR><LF>
```

<human-readable-string> MUST be ignored by the client, as specified in [\[RFC2980\]](#).

2.2.1.3 NNTP_AUTH_NTLM_Blob_Response Message

NNTP_AUTH_NTLM_Blob_Response is defined as follows. This message is partially defined in [\[RFC2980\]](#). The status code 381 indicates ongoing authentication and indicates that the <base64-encoded-NTLM-message> is to be processed by the authentication software. In this case, the client must de-encapsulate the data, and pass it to the NTLM software.

```
381 < base64-encoded-NTLM-message><CR><LF>
```

2.2.1.4 NNTP_AUTH_Fail_Response Message

NNTP_AUTH_Fail_Response is defined as follows. This message is defined in [\[RFC2980\]](#) and indicates that the authentication has terminated unsuccessfully—either because the username or password was incorrect, or due to some other arbitrary error, such as a software or data corruption error.

```
502 <human-readable-string><CR><LF>
```

2.2.1.5 NNTP_AUTH_NTLM_Succeeded_Response Message

NNTP_AUTH_NTLM_Succeeded_Response is defined as follows. This message is defined in [\[RFC2980\]](#) and indicates that the authentication negotiation has completed with the client successfully authenticating to the server.

```
281 <human-readable-string><CR><LF>
```

2.2.1.6 NNTP_AUTH_NTLM_Blob_Command Message

NTLM messages encapsulated by the client and sent to the server, are referred to as **NNTP_AUTH_NTLM_Blob_Command** in this document. They have the following syntax, as defined in ABNF, and conform to the prescription of [\[RFC2980\]](#).

```
AUTHINFO GENERIC < base64-encoded-NTLM-message><CR><LF>
```

2.2.1.7 AUTHINFO GENERIC Discovery Message

The NTLM Authentication: NNTP Extension also supports the discovery of supported authentication procedures, as defined in [\[RFC2980\]](#) section 3.1.3. When the AUTHINFO GENERIC command is sent to the NNTP server without an authenticator or arguments, the NNTP server will list available authentication mechanisms using the syntax that is defined in [\[RFC2980\]](#). The NTLM mechanism is indicated by the string "NTLM", which is returned if NTLM authentication is enabled for the NNTP server.

2.2.2 NNTP Server Messages

This section defines the creation of [NNTP_AUTH_NTLM_Blob_Response](#) messages. These NTLM messages are sent by the server and MUST be encapsulated as follows, in order to conform to syntax that is specified by the AUTHINFO GENERIC mechanism:

1. Use base64 to encode the NTLM message data. Do this because NTLM messages contain data that is outside the ASCII character range; whereas NNTP supports only ASCII characters within the context of the AUTHINFO GENERIC command.
2. Prefix the base64-encoded string that is obtained in step 1 with the NNTP response code string "381 " (the ASCII digits 3, 8, and 1 followed by the ASCII space character 0x20).
3. Append the <CR> and <LF> characters (ASCII values 0x0D and 0x0A) to the resulting string as required by NNTP.

The ABNF definition of a server message is as follows:

```
381 <base64-encoded-NTLM-message><CR><LF>
```

De-encapsulation of these messages by the client follows reverse logic:

1. Remove the <CR> and <LF> characters (ASCII values 0x0D and 0x0A).
2. Remove the NNTP response code string "381 " (the ASCII digits 3, 8, and 1 followed by the ASCII space character 0x20).
3. Use base64 to decode the NNTP data in order to produce the original NTLM message data.

2.2.3 NNTP Client Messages

This section defines the processing of [NNTP AUTH NTLM Blob Command](#) messages. These NTLM messages are sent by the client and MUST be encapsulated as follows, in order to conform to the syntax of the AUTHINFO GENERIC mechanism:

1. Use base64 to encode the NTLM message data. Do this because NTLM messages contain data that is outside the ASCII character range; whereas NNTP only supports ASCII characters in context of the AUTHINFO GENERIC command.
2. Prefix the base64-encoded string that is obtained in step 1 with the ASCII string "AUTHINFO GENERIC " (the casing of the "AUTHINFO GENERIC " characters does not matter).
3. Append the <CR> and <LF> characters (ASCII values 0x0D and 0x0A) to the resulting string, as required by NNTP.

The ABNF definition of a client message is as follows:

```
AUTHINFO GENERIC <base64-encoded-NTLM-message><CR><LF>
```

De-encapsulation of these messages by the server follows the reverse logic:

1. Remove the <CR> and <LF> characters (ASCII values 0x0D and 0x0A).
2. Remove the prefix string "AUTHINFO GENERIC " (the casing of the characters does not matter).
3. Use base64 to decode the NNTP data in order to produce the original NTLM message data.

3 Protocol Details

The following sections specify details of the NTLM Authentication: NNTP Extension, including abstract data models and message processing rules.

3.1 Client Details

3.1.1 Abstract Data Model

3.1.1.1 NNTP State Model




Figure 2: Client state model for NNTP_NTLM authentication

The abstract data model for NTLM Authentication: NNTP Extension has the following states:

1. **start**

This is the state of the client before the [NNTP_AUTH_NTLM_Initiation_Command](#) has been sent.

2. **sent_authentication_request**

This is the state of the client after the [NNTP_AUTH_NTLM_Initiation_Command](#) has been sent.

3. **inside_authentication**

This is the state that a client enters after it has received an [NNTP NTLM Supported Response](#). In this state, the client initializes the NTLM software and repeats the following steps:

- Encapsulates the NTLM message that is returned by the NTLM software into an NNTP message.
- Waits for a response from the server.
- De-encapsulates NNTP message data that is received, if any, from the other party and converts it to NTLM message data.
- Passes it to the NTLM software.
- Sends the NNTP message to the other party.

This state terminates when:

- For the server: the NTLM software reports completion with either a success or failed authentication status; upon which, it sends the client an [NNTP AUTH NTLM Succeeded Response](#) message or [NNTP AUTH Fail Response](#) message, as described in [\[RFC2980\]](#).
- For the client: an [NNTP AUTH NTLM Succeeded Response](#) message or [NNTP AUTH Fail Response](#) message is received.
- For either client or server: any failure is reported by the NTLM software.

4. **completed_authentication**

This is the state of the client when it exits the `inside_authentication` state. The rules for how the `inside_authentication` state is exited are specified in section [3.1.5](#).

3.1.1.2 NTLM Software Interaction

During the **inside_authentication** phase, the NNTP client invokes the NTLM software as described in [\[MS-NLMP\]](#) section 3.1. The NTLM Authentication Protocol is used with these options:

1. The negotiation is a connection-oriented NTLM negotiation.
2. None of the flags that are specified in [\[MS-NLMP\]](#) section 3.1.1 are passed to NTLM.

The following describes how NNTP uses NTLM. Remember that all NTLM messages are encapsulated as in section [2.2](#). The NTLM Authentication Protocol, as specified in [\[MS-NLMP\]](#) section 3.1.1, describes the data model, internal states, and sequencing of NTLM messages in greater detail:

1. The client initiates the authentication by invoking NTLM. NTLM then returns the NTLM NEGOTIATE_MESSAGE to be sent by the client to the server.
2. Subsequently, the exchange of NTLM messages goes on as defined by the NTLM Authentication Protocol: the NNTP client encapsulates the NTLM messages before sending them to the server and de-encapsulates NNTP messages to obtain the NTLM message, before giving it to NTLM.
3. The NTLM Authentication Protocol completes authentication, either successfully or unsuccessfully, as follows:
 - The server sends the `NNTP_AUTH_NTLM_Succeeded_Response` to the client. After receiving this message, the client transitions to the `completed_authentication` state and should treat the authentication attempt as successful.

- The server sends the NNTP_AUTH_Fail_Response to the client. After receiving this message, the client transitions to the completed_authentication state and should treat the authentication attempt as failed.
- The server sends the NNTP_AUTH_Other_Failure_Response to the client. After receiving this message, the client transitions to the completed_authentication state and should treat the authentication attempt as failed.
- Failures reported from the NTLM software (which can occur for any reason, including incorrect data being passed in or implementation-specific errors), may be reported to the client by NTLM and cause the client to transition to the completed_authentication state.

3.1.2 Timers

There are no timers that are specific to authentication.

3.1.3 Initialization

There is no protocol-specific initialization.

3.1.4 Higher-Layer Triggered Events

There are no higher-layer triggered events in common to all parts of this protocol.

3.1.5 Message Processing Events and Sequencing Rules

The NTLM Authentication: NNTP Extension is driven by a series of message exchanges between an NNTP server and an NNTP client. The rules that govern the sequencing of commands and the internal states of the client and server are defined by [\[RFC2980\]](#) and [\[MS-NLMP\]](#). Section [3.1.1](#) completely defines how the rules that are specified in [\[RFC2980\]](#) and [\[MS-NLMP\]](#) govern NNTP authentication.

3.1.5.1 Receiving an NNTP_NTLM_Supported_Response Message

The expected state is **sent_authentication_request**.

When a client receives this message, it must generate the first NTLM message by calling the NTLM software. The NTLM software then generates an NTLM NEGOTIATE_MESSAGE, as specified in [\[MS-NLMP\]](#). The NTLM message is then encapsulated as previously defined and sent to the server.

The state of the client is changed to **inside_authentication**.

3.1.5.2 Receiving an NNTP_NTLM_Not_Supported_Response

The expected state is **sent_authentication_request**.

When a client receives this message, it must abort the NTLM authentication attempt.

3.1.5.3 Receiving an NNTP_AUTH_NTLM_Blob_Response

The expected state is **inside_authentication**.

When a client receives this message, it must de-encapsulate it to obtain the embedded NTLM message and pass it to the NTLM software for processing. The NTLM software may then either report an error or report success, and return an NTLM message to be sent to the server.

3.1.5.3.1 Error from NTLM

If the NTLM software reports an error, the client must change its internal state to **completed_authentication** and assume that the authentication has failed. The client may then take any appropriate action. Typical actions are to attempt other non-authentication-related NNTP commands or to disconnect the connection. This document does not mandate any specific course of action.

3.1.5.3.2 NTLM Reports Success and Returns an NTLM Message

The NTLM message should be encapsulated and sent to the server. No change occurs in the state of the client.

3.1.5.4 Receiving an NNTP_AUTH_NTLM_Succeeded_Response Message

The expected state is **inside_authentication**.

The NNTP client must change its internal state to **completed_authentication** and assume that the authentication succeeded. The client may then take any appropriate action. This document does not mandate any specific course of action.

3.1.5.5 Receiving an NNTP_AUTH_Fail_Response

The expected state is **inside_authentication**.

The NNTP client must change its internal state to **completed_authentication** and assume that the authentication has failed. The client may then take any appropriate action. This document does not mandate any specific course of action.

3.1.6 Timer Events

There are no timer events.

3.1.7 Other Local Events

There are no local events.

3.2 Server Details

3.2.1 Abstract Data Model

3.2.1.1 NNTP State Model




Figure 3: Server state model for NNTP_NTLM authentication

The abstract data model for NTLM Authentication: NNTP Extension has these states:

1. **start**

This is the state of the server before the [NNTP_AUTH_NTLM_Initiation_Command](#) has been received.

2. **received_authentication_request**

This is the state of the client after the [NNTP_AUTH_NTLM_Initiation_Command](#) has been received.

3. **inside_authentication**

This is the state that a server enters after it has sent an [NNTP_NTLM_Supported_Response](#). In this state, the server initializes the NTLM software and repeats the following steps:

- Waits for a message from the client.

- De-encapsulates the NNTP message data that is received, if any, from the other party and obtains the embedded NTLM message data.
- Passes it to the NTLM software.
- Encapsulates the NTLM message that is returned by the NTLM software, into an NNTP message.
- Sends the NNTP message to the other party.

This state terminates when:

- The NTLM software reports completion with either a success or failed authentication status; upon which, it sends the client an [NNTP_AUTH_NTLM_Succeeded_Response](#) message or [NNTP_AUTH_Fail_Response](#) message as described in [\[RFC2980\]](#).
- Any failure is reported by the NTLM software.

4. **completed_authentication**

This is the state of the server when it exits the `inside_authentication` state. The rules for how the `inside_authentication` state is exited are defined in section [3.2.5](#).

3.2.1.2 NTLM Software Interaction

During the **inside_authentication** state, the NNTP server invokes the NTLM software as described in [\[MS-NLMP\]](#) section 3.1. The NTLM protocol is used with these options:

- The negotiation is a connection-oriented NTLM negotiation.
- None of the flags that are specified in [\[MS-NLMP\]](#) section 3.1.1 are passed to NTLM.

The following describes how NNTP uses NTLM. For more information, see [\[MS-NLMP\]](#) section 3.1.1, which describes the data model and sequencing of NTLM packets in greater detail:

1. When the server receives the NTLM NEGOTIATE_MESSAGE, it passes it to the NTLM software and if the NTLM NEGOTIATE_MESSAGE was valid, it receives the NTLM CHALLENGE_MESSAGE in return.
2. Subsequently the exchange of NTLM messages goes on as defined by the NTLM Authentication Protocol: the NNTP server encapsulates the NTLM messages that are returned by NTLM before sending them to the client.
3. When the NTLM Authentication Protocol completes authentication, either successfully or unsuccessfully, the NTLM software notifies NNTP.
 - Upon successful completion, the server MUST exit the `inside_authentication` state, enter the `completed_authentication` state, and send the [NNTP_AUTH_NTLM_Succeeded_Response](#) to the client. Upon receiving this message, the client MUST also transition to the `completed_authentication` state.
 - If a failure occurs because of an incorrect password error, as described in [\[MS-NLMP\]](#) sections [3.3.1](#) and [3.3.2](#), the server should enter the `completed_authentication` state and send the client an [NNTP_AUTH_Fail_Response](#) message.
 - If a failure occurs on the server because of any other reason than an incorrect password error, the server enters the `completed_authentication` state and sends the client an

[NNTP_AUTH_Fail_Response](#) message. Upon receiving this message, the client must enter the `completed_authentication` state.

3.2.2 Timers

There are no timers that are specific to authentication.

3.2.3 Initialization

There is no protocol-specific initialization.

3.2.4 Higher-Layer Triggered Events

There are no higher-layer triggered events in common to all parts of this protocol.

3.2.5 Message Processing Events and Sequencing Rules

The NTLM Authentication: NNTP Extension is driven by a series of message exchanges between an NNTP server and an NNTP client. The rules that govern the sequencing of commands and the internal states of the client and server are defined by [\[RFC2980\]](#) and [\[MS-NLMP\]](#). Section [3.2.1](#) completely defines how the rules that are specified in [\[RFC2980\]](#) and [\[MS-NLMP\]](#) govern NNTP authentication.

3.2.5.1 Receiving an NNTP_AUTH_NTLM_Initiation_Command Message

The expected state is **start**.

When a server receives this message, it must reply with the [NNTP_NTLM_Supported_Response](#) message if it supports NTLM and then change its state to the **inside_authentication** state.

If the server does not support NTLM, it must respond with the [NNTP_NTLM_Not_Supported_Response](#) message, and the internal state remains unchanged.

3.2.5.2 Receiving an NNTP_AUTH_NTLM_Blob_Command Message

The expected state is **inside_authentication**.

When a server receives this message, it must de-encapsulate the message, obtain the embedded NTLM message, and pass it to the NTLM software. The NTLM software **MUST** then take one of the following actions:

1. Report success in processing the message and return an NTLM message to continue the authentication.
2. Report that authentication completed successfully.
3. Report that the authentication failed due to a bad user name or password, as specified in [\[MS-NLMP\]](#).
4. Report that the authentication failed, which could be due to some other software error or message corruption.

3.2.5.2.1 NTLM Returns Success and an NTLM Message

The NTLM message must be encapsulated and sent to the client. The internal state of the NNTP server remains unchanged.

3.2.5.2.2 NTLM Indicates the Authentication Completed Successfully

The server must return the [NNTP_AUTH_NTLM_Succeeded_Response](#) message and change its internal state to **completed_authentication**.<2>

3.2.5.2.3 NTLM Indicates That the User Name or Password Was Incorrect

The server must return the [NNTP_AUTH_Fail_Response](#) message and change its internal state to **completed_authentication**.

3.2.5.2.4 NTLM Returns a Failure Status Indicating Any Other Error

The server must return the **NNTP_AUTH_Other_Failure_Response** message and change its internal state to **completed_authentication**.

3.2.5.2.5 NTLM Reports Success and Returns an NTLM Message

The NTLM message should be encapsulated and sent to the server. No change occurs in the state of the client.

3.2.6 Timer Events

There are no timer events.

3.2.7 Other Local Events

There are no local events.

4 Protocol Examples

The following sections describe operations that are used in a common scenario to illustrate the function of the NTLM Authentication: NNTP Extension.

4.1 NNTP Client Successfully Authenticates to an NNTP Server

This section illustrates the NTLM Authentication: NNTP Extension with an example scenario in which an NNTP client successfully authenticates to an NNTP server by using NTLM.




Figure 4: NNTP client authenticates to an NNTP server

1. The client sends an [NNTP_AUTH_NTLM_Initiation_Command](#) to the server. This command is defined in [\[RFC2980\]](#) section 3.1.3.

```
AUTHINFO GENERIC NTLM
```

2. The server sends the [NNTP_NTLM_Supported_Response](#) message, indicating that it can perform NTLM authentication.

```
381 Protocol supported, proceed
```

3. The client sends an [NNTP_AUTH_NTLM_Blob_Command](#) message that contains a base64-encoded NTLM NEGOTIATE_MESSAGE.

```
AUTHINFO GENERIC TlRMTVNTUAABAAAAB7IIogcABwAvAAAABwAHACgAAAAFA
SgKAAAAD0dQVUxMQTFSRURNT05E
```

The contents of the NTLM message after base64 decoding are:

```
0x00000000 4E 54 4C 4D 53 53 50 00 01 00 00 00 B7 82 08 E2  NTLMSSP.....7 .b
0x00000010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00  .....
0x00000020 05 02 CE 0E 00 00 00 0F ..N.....
```

4. The server sends an [NNTP_AUTH_NTLM_Blob_Response](#) message that contains a base64-encoded NTLM CHALLENGE_MESSAGE.

```
381 TlRMTVNTUAACAAAFgAWADgAAAA1goriFuADDG03d7EAAAAAAAAAAAGwAbABOAAA
ABQLODgAAAA9FAFgAQwBIAC0AQwBMAEKALQA2ADYAAgAWAEUAWABDAEgALQBDAEWASQ
AtADYANGABABYARQBYAEMASAAAtAEMATABJAC0ANGA2AAQAFgBlAHgAYwBoAC0AYwBsA
GkALQA2ADYAAwAWAGUAEABjAGgALQBjAGwAaQAtADYANGAAAAAA
```

The contents of the NTLM message after base64 decoding is:

```
0x00000000 4E 54 4C 4D 53 53 50 00 02 00 00 00 16 00 16 00  NTLMSSP.....
0x00000010 38 00 00 00 35 82 8A E2 16 E0 03 0C 6D 37 77 B1  8...5 b.`..m7w1
0x00000020 00 00 00 00 00 00 00 00 6C 00 6C 00 4E 00 00 00  .....l.l.N...
0x00000030 05 02 CE 0E 00 00 00 0F 45 00 58 00 43 00 48 00  ..N.....E.X.C.H.
0x00000040 2D 00 43 00 4C 00 49 00 2D 00 36 00 36 00 02 00  -.C.L.I.-.6.6...
0x00000050 16 00 45 00 58 00 43 00 48 00 2D 00 43 00 4C 00  ..E.X.C.H.-.C.L.
0x00000060 49 00 2D 00 36 00 36 00 01 00 16 00 45 00 58 00  I.-.6.6.....E.X.
0x00000070 43 00 48 00 2D 00 43 00 4C 00 49 00 2D 00 36 00  C.H.-.C.L.I.-.6.
0x00000080 36 00 04 00 16 00 65 00 78 00 63 00 68 00 2D 00  6.....e.x.c.h.-.
0x00000090 63 00 6C 00 69 00 2D 00 36 00 36 00 03 00 16 00  c.l.i.-.6.6.....
0x000000A0 65 00 78 00 63 00 68 00 2D 00 63 00 6C 00 69 00  e.x.c.h.-.c.l.i.
0x000000B0 2D 00 36 00 36 00 00 00 00 00  -.6.6.....
```

5. The client sends an [NNTP_AUTH_NTLM_Blob_Command](#) message that contains a base64-encoded NTLM AUTHENTICATE_MESSAGE.

```
AUTHINFO GENERIC TlRMTVNTUAADAAAAGAAYAHwAAAAYABgAlAAAABYAFgBIAAAACA
AIAF4AAAAWABYAZgAAABAAEACsAAAAANYKI4gUCzg4AAAAAPZQB4AGMAaAAtAGMAbABpA
C0ANGA2AHQAZQBzAHQARQBYAEMASAAAtAEMATABJAC0ANGA2ANio75EIhJe6AAAAAAAAA
AAAAAAAAAAAAAmhyv9JNozcmNID+tIH3fL2M2EXYMshTz9RZZq2XG5CpiugFZJWZKxk
=
```

The contents of the NTLM message after base64 decoding are:

```
0x00000000 4E 54 4C 4D 53 53 50 00 03 00 00 00 18 00 18 00  NTLMSSP.....
0x00000010 7C 00 00 00 18 00 18 00 94 00 00 00 16 00 16 00  |.....
0x00000020 48 00 00 00 08 00 08 00 5E 00 00 00 16 00 16 00  H.....^.....
0x00000030 66 00 00 00 10 00 10 00 AC 00 00 00 35 82 88 E2  f.....,...5__b
```



```

0x00000040 05 02 CE 0E 00 00 00 0F 65 00 78 00 63 00 68 00 ..N....e.x.c.h.
0x00000050 2D 00 63 00 6C 00 69 00 2D 00 36 00 36 00 74 00 -.c.l.i.-.6.6.t.
0x00000060 65 00 73 00 74 00 45 00 58 00 43 00 48 00 2D 00 e.s.t.E.X.C.H.-.
0x00000070 43 00 4C 00 49 00 2D 00 36 00 36 00 D2 28 EF 91 C.L.I.-.6.6.R(o
0x00000080 08 84 97 BA 00 00 00 00 00 00 00 00 00 00 00 00 . :.....
0x00000090 00 00 00 00 C8 72 BF D2 4D A3 37 26 34 80 FE B4 ....Hr?RM#7&4

```

6. The server sends an [NNTP_AUTH_NTLM_Succeeded_Response](#) message.

```
281 Authentication ok
```

4.2 NNTP Client Does Not Successfully Authenticate to an NNTP Server

This section illustrates the NTLM Authentication: NNTP Extension with an example scenario in which an NNTP client attempts NTLM authentication to an NNTP server and the authentication fails.




Figure 5: NNTP client attempts authentication to an NNTP server and is unsuccessful

1. The client sends an [NNTP_AUTH_NTLM_Initiation_Command](#) to the server. This command is defined in [RFC2980](#) section 3.1.3.

```
AUTHINFO GENERIC NTLM
```

2. The server sends the [NNTP_NTLM_Supported_Response](#) message, indicating that it can perform NTLM authentication.

```
381 Protocol supported, proceed
```

3. The client sends an [NNTP_AUTH_NTLM_Blob_Command](#) message.

```
AUTHINFO GENERIC TlRMTVNTUABAAAA4II4gAAAAAAAAAAAAAAAAAFAs4OAAADw==
```

The contents of the NTLM message after base64 decoding are:

```
0x00000000 4E 54 4C 4D 53 53 50 00 01 00 00 00 B7 82 08 E2 NTLMSSP.....7 .b
0x00000010 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 .....
0x00000020 05 02 CE 0E 00 00 00 0F ..N.....
```

4. The server responds with an [NNTP_AUTH_NTLM_Blob_Response](#) message.

```
381 TlRMTVNTUACAAAFgAWADgAAAA1gori2zhKR64TNyYAAAAAAAAAGwAbABOAAAABQLODgAAAA9FAFgA
QwBIAC0AQwBMAEKALQA2ADYAAgAWAEUAWABDAEgALQBDAEWASQAtADYANGABABYARQBYAEMASAAtaEMATABJ
AC0ANGA2AAQAFgBlAHgAYwBoAC0AYwBsAGkALQA2ADYAAwAWAGUAeABjAGgALQBjAGwAaQAtADYANGAAAAAA
```

The contents of the NTLM message after base64 decoding are:

```
0x00000000 4E 54 4C 4D 53 53 50 00 02 00 00 00 16 00 16 00 NTLMSSP.....
0x00000010 38 00 00 00 35 82 8A E2 DB 38 4A 47 AE 13 37 26 8...5 b[8JG..7&
0x00000020 00 00 00 00 00 00 00 00 6C 00 6C 00 4E 00 00 00 .....l.l.N...
0x00000030 05 02 CE 0E 00 00 00 0F 45 00 58 00 43 00 48 00 ..N....E.X.C.H.
0x00000040 2D 00 43 00 4C 00 49 00 2D 00 36 00 36 00 02 00 -.C.L.I.-.6.6...
0x00000050 16 00 45 00 58 00 43 00 48 00 2D 00 43 00 4C 00 ..E.X.C.H.-.C.L.
0x00000060 49 00 2D 00 36 00 36 00 01 00 16 00 45 00 58 00 I.-.6.6....E.X.
0x00000070 43 00 48 00 2D 00 43 00 4C 00 49 00 2D 00 36 00 C.H.-.C.L.I.-.6.
0x00000080 36 00 04 00 16 00 65 00 78 00 63 00 68 00 2D 00 6.....e.x.c.h.-.
0x00000090 63 00 6C 00 69 00 2D 00 36 00 36 00 03 00 16 00 c.l.i.-.6.6.....
0x000000A0 65 00 78 00 63 00 68 00 2D 00 63 00 6C 00 69 00 e.x.c.h.-.c.l.i.
0x000000B0 2D 00 36 00 36 00 00 00 00 00 00 00 00 00 -.6.6.....
```

5. The client then sends an [NNTP_AUTH_NTLM_Blob_Command](#).

```
AUTHINFO GENERIC TlRMTVNTUADAAAAGAAAYAHwAAAAAYABgAlAAAABYAFgBIAAAACAAIAF4AAAAWABYAZgA
AABAAEACsAAAANYKI4gUCzg4AAAPZQB4AGMAaAAtAGMAbABpAC0ANGA2AHQAZQBzAHQARQBYAEMASAAtaEM
ATABJAC0ANGA2AMW6+RoX0OggAAAAAAAAAAAAAAAAAKk1BEO/APrMd3f0tLtXMesmW2RK2ixxUaCLI3c
IssJY2B2gBX/KYho=
```

The contents of the NTLM message after base64 decoding are:

```
0x00000000 4E 54 4C 4D 53 53 50 00 03 00 00 00 18 00 18 00 NTLMSSP.....
0x00000010 7C 00 00 00 18 00 18 00 94 00 00 00 16 00 16 00 |.....
0x00000020 48 00 00 00 08 00 08 00 5E 00 00 00 16 00 16 00 H.....^.....
0x00000030 66 00 00 00 10 00 10 00 AC 00 00 00 35 82 88 E2 f.....;...5__b
0x00000040 05 02 CE 0E 00 00 00 0F 65 00 78 00 63 00 68 00 ..N....e.x.c.h.
0x00000050 2D 00 63 00 6C 00 69 00 2D 00 36 00 36 00 74 00 -.c.l.i.-.6.6.t.
0x00000060 65 00 73 00 74 00 45 00 58 00 43 00 48 00 2D 00 e.s.t.E.X.C.H.-.
0x00000070 43 00 4C 00 49 00 2D 00 36 00 36 00 C5 BA F9 1A C.L.I.-.6.6.E:y.
0x00000080 17 D0 E8 20 00 00 00 00 00 00 00 00 00 00 00 .Ph .....
```

```
0x00000090 00 00 00 00 A9 35 04 43 BF 02 9A CC 77 77 F4 B4 .....)5.C?. Lwwt4
0x000000A0 BB 57 31 EB 26 5B 64 4A DA 2C 71 51 A0 8B 23 77 ;Wlk&[dJZ,qQ #w
0x000000B0 08 B2 C2 58 D8 1D A0 05 7F CA 62 1A .2BXX. .Jb.
```

6. The server sends an [NNTP_AUTH_Fail_Response](#) message.

```
502 Permission denied
```

5 Security

The following sections specify security considerations for implementers of the NTLM Authentication: NNTP Extension.

5.1 Security Considerations for Implementers

Implementers should be aware of the security considerations of using NTLM authentication. Information about the security considerations of using NTLM authentication is specified in [\[MS-NLMP\]](#) section 5.

5.2 Index of Security Parameters

Security parameter	Section
NTLM	2 and 3

6 Appendix A: Windows Behavior

The information in this specification is applicable to the following versions of Windows:

- Windows Server 2008
- Windows Server 2003
- Windows Vista
- Windows XP
- Windows 2000

Exceptions, if any, are noted below. Unless otherwise specified, any statement of optional behavior in this specification prescribed using the terms SHOULD or SHOULD NOT implies Windows behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that Windows does not follow the prescription.

[<1> Section 1.5:](#) Windows NNTP server and NNTP client use the Security Support Provider Interface (SSPI) to obtain and process **NTLM messages**. For more information about SSPI, see [\[SSPI\]](#).

[<2> Section 3.2.5.2.2:](#) For security reasons, a Windows-based NNTP server does not permit a client to authenticate by using credentials for a user who is identified as the "BUILTIN\Administrator" account. Internally, the NTLM subsystem reports to the NNTP server that the authentication succeeded. However, Windows NNTP then checks the user credentials and fails the authentication by sending the NNTP_AUTH_Fail_Response message even though NTLM actually returned success for the authentication.

7 Index

A

Abstract data model
[client](#)
[server](#)
[Applicability](#)
[AUTHINFO GENERIC extensions](#)

C

[Capability negotiation](#)
Client
[abstract data model](#)
[higher-layer triggered events](#)
[initialization](#)
[local events](#)
[message processing](#)
[overview](#)
[sequencing rules](#)
[timer events](#)
[timers](#)

D

Data model - abstract
[client](#)
[server](#)

E

[Examples - overview](#)

F

[Fields - vendor-extensible](#)

G

[Glossary](#)

H

Higher-layer triggered events
[client](#)
[server](#)

I

[Implementer - security considerations](#)
[Index of security parameters](#)
[Informative references](#)
Initialization
[client](#)
[server](#)
[Introduction](#)

L

Local events
[client](#)
[server](#)

M

Message processing
[client](#)
[server](#)
Messages
[overview](#)
[syntax](#)
[transport](#)

N

NNTP
[NNTP server - authenticates](#)
[NNTP server - does not authenticate](#)
[NNTP client messages](#)
[NNTP server messages](#)
NNTP state model ([section 3.1.1.1](#), [section 3.2.1.1](#))
[NNTP AUTH Fail Response](#)
[NNTP AUTH NTLM Blob Command](#)
[NNTP AUTH NTLM Blob Response](#)
[NNTP AUTH NTLM Initiation Command](#)
[NNTP AUTH NTLM Succeeded Response](#)
[NNTP NTLM Not Supported Response](#)
[NNTP NTLM Supported Response Message](#)
[Normative references](#)
NTLM
[password incorrect](#)
[returns NTLM message](#)
[returns success](#)
[success - authentication completion](#)
[success - returns NTLM message](#)
[user name incorrect](#)
[NTLM - error from](#)
[NTLM reports success - returns NTLM message](#)
[NTLM software interaction](#)
[NTLM state model](#)

O

[Overview \(synopsis\)](#)

P

[Preconditions](#)
[Prerequisites](#)

R

References
[informative](#)

[normative](#)
[overview](#)
[Relationship to other protocols](#)

S

Security
[implementer considerations](#)
[overview](#)
Sequencing rules
[client](#)
[server](#)
Server
[abstract data model](#)
[higher-layer triggered events](#)
[initialization](#)
[local events](#)
[message processing](#)
[overview](#)
[sequencing rules](#)
[timer events](#)
[timers](#)
[Standards assignments](#)
State model
[NNTP](#)
[NTLM](#)
[Syntax](#)

T

Timer events
[client](#)
[server](#)
Timers
[client](#)
[server](#)
[Transport](#)
Triggered events - higher-layer
[client](#)
[server](#)

V

[Vendor-extensible fields](#)
[Versioning](#)

W

[Windows behavior](#)