

[MS-SPSETWS]: SharePoint Subscription Settings Web Service Protocol Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Minor	Updated the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.05	Minor	Clarified the meaning of the technical content.
09/27/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	1.05	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	1.05	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1	Introduction	6
1.1	Glossary	6
1.2	References.....	6
1.2.1	Normative References.....	6
1.2.2	Informative References	7
1.3	Protocol Overview (Synopsis)	7
1.4	Relationship to Other Protocols.....	7
1.5	Prerequisites/Preconditions	8
1.6	Applicability Statement.....	8
1.7	Versioning and Capability Negotiation.....	8
1.8	Vendor-Extensible Fields.....	8
1.9	Standards Assignments	8
2	Messages.....	9
2.1	Transport.....	9
2.2	Common Message Syntax	9
2.2.1	Namespaces	9
2.2.2	Messages	9
2.2.3	Elements.....	9
2.2.4	Complex Types	9
2.2.4.1	SPSubscriptionSettingsActionFault (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint)	10
2.2.4.2	SPSubscriptionSettingsPropertySet (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint)	10
2.2.4.3	SPSubscriptionSettingsPropertySetInfo (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint)	10
2.2.4.4	SPSubscriptionSettingsPropertySetResult (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint)	11
2.2.5	Simple Types	11
2.2.5.1	SPSubscriptionSettingsActionFaultType (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint)	11
2.2.5.2	guid (from namespace http://schemas.microsoft.com/2003/10/Serialization/) .	12
2.2.6	Attributes.....	12
2.2.7	Groups.....	12
2.2.8	Attribute Groups	12
3	Protocol Details.....	13
3.1	Server Details	13
3.1.1	Abstract Data Model	13
3.1.2	Timers	13
3.1.3	Initialization	13
3.1.4	Message Processing Events and Sequencing Rules.....	13
3.1.4.1	DeleteMapping	14
3.1.4.1.1	Messages	15
3.1.4.1.1.1	ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessa ge	15
3.1.4.1.1.2	ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMess age.....	15

3.1.4.1.2	Elements.....	15
3.1.4.1.2.1	DeleteMapping	15
3.1.4.1.2.2	DeleteMappingResponse	15
3.1.4.2	DeletePropertySet	16
3.1.4.2.1	Messages	17
3.1.4.2.1.1	ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage	17
3.1.4.2.1.2	ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage	17
3.1.4.2.2	Elements.....	17
3.1.4.2.2.1	DeletePropertySet	17
3.1.4.2.2.2	DeletePropertySetResponse	17
3.1.4.3	GetPropertySet.....	18
3.1.4.3.1	Messages	18
3.1.4.3.1.1	ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage	18
3.1.4.3.1.2	ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage	19
3.1.4.3.2	Elements.....	19
3.1.4.3.2.1	GetPropertySet	19
3.1.4.3.2.2	GetPropertySetResponse	19
3.1.4.4	GetPropertySetIds	20
3.1.4.4.1	Messages	20
3.1.4.4.1.1	ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage	20
3.1.4.4.1.2	ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage	21
3.1.4.4.2	Elements.....	21
3.1.4.4.2.1	GetPropertySetIds	21
3.1.4.4.2.2	GetPropertySetIdsResponse.....	21
3.1.4.4.3	Complex Types	21
3.1.4.4.3.1	ArrayOfguid (from namespace http://schemas.microsoft.com/2003/10/Serialization/Arrays)	21
3.1.4.5	GetSubscriptionPropertySet	22
3.1.4.5.1	Messages	23
3.1.4.5.1.1	ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage.....	23
3.1.4.5.1.2	ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage.....	23
3.1.4.5.2	Elements.....	23
3.1.4.5.2.1	GetSubscriptionPropertySet	23
3.1.4.5.2.2	GetSubscriptionPropertySetResponse	23
3.1.4.6	SetMapping.....	24
3.1.4.6.1	Messages	25
3.1.4.6.1.1	ISubscriptionSettingsServiceApplication_SetMapping_InputMessage	25

3.1.4.6.1.2	ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage ..	25
3.1.4.6.2	Elements.....	25
3.1.4.6.2.1	SetMapping	25
3.1.4.6.2.2	SetMappingResponse	26
3.1.4.7	SetPropertySet.....	26
3.1.4.7.1	Messages	27
3.1.4.7.1.1	ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage	27
3.1.4.7.1.2	ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage.....	27
3.1.4.7.2	Elements.....	27
3.1.4.7.2.1	SetPropertySet.....	27
3.1.4.7.2.2	SetPropertySetResponse	28
3.1.4.8	SetSubscriptionPropertySet.....	28
3.1.4.8.1	Messages	29
3.1.4.8.1.1	ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage.....	29
3.1.4.8.1.2	ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage.....	29
3.1.4.8.2	Elements.....	30
3.1.4.8.2.1	SetSubscriptionPropertySet	30
3.1.4.8.2.2	SetSubscriptionPropertySetResponse	30
3.1.5	Timer Events	30
3.1.6	Other Local Events	30
4	Protocol Examples.....	31
4.1	Manage a Site Subscription Property Set	31
4.1.1	Create a New Property Set	31
4.1.2	Update a Property Set.....	33
4.1.3	Fetch a Property Set	34
4.1.4	Fetch Property Set Identifiers with Property Set Type	34
4.1.5	Create a Mapping Between a Property Set and a Site Subscription.....	35
4.1.6	Create a New Property Set and Mapping to a Site Subscription	35
4.1.7	Fetch a Site Subscription Property Set	36
4.1.8	Delete a Mapping Between a Property Set and a Site Subscription	37
4.1.9	Delete a Property Set.....	37
5	Security.....	39
5.1	Security Considerations for Implementers.....	39
5.2	Index of Security Parameters	39
6	Appendix A: Full WSDL	40
7	Appendix B: Product Behavior	51
8	Change Tracking.....	52
9	Index	53

1 Introduction

This document specifies the SharePoint Subscription Settings Web Service Protocol. This protocol enables configuration data sharing within a set of **site collections**. This protocol is typically used for hosting scenarios.

1.1 Glossary

The following terms are defined in [\[MS-GLOS\]](#):

GUID
Hypertext Transfer Protocol (HTTP)
Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS)
property set

The following terms are defined in [\[MS-OFCSGLOS\]](#):

endpoint
Simple Object Access Protocol (SOAP)
site collection
site subscription
site subscription identifier
SOAP action
SOAP body
SOAP fault
Uniform Resource Identifier (URI)
version stamp
WSDL operation

The following terms are specific to this document:

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-SPSETSP] Microsoft Corporation, "[SharePoint Subscription Settings Stored Procedures Protocol Specification](#)"

[MS-SPSTWS] Microsoft Corporation, "[SharePoint Security Token Service Web Service Protocol Specification](#)"

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.rfc-editor.org/rfc/rfc2119.txt>

[RFC2616] Fielding, R., Gettys, J., Mogul, J., et al., "Hypertext Transfer Protocol -- HTTP/1.1", RFC 2616, June 1999, <http://www.ietf.org/rfc/rfc2616.txt>

[SOAP1.1] Box, D., Ehnebuske, D., Kakivaya, G., et al., "Simple Object Access Protocol (SOAP) 1.1", May 2000, <http://www.w3.org/TR/2000/NOTE-SOAP-20000508/>

[SOAP1.2/1] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 1: Messaging Framework", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part1-20030624>

[WSDL] Christensen, E., Curbera, F., Meredith, G., and Weerawarana, S., "Web Services Description Language (WSDL) 1.1", W3C Note, March 2001, <http://www.w3.org/TR/2001/NOTE-wsdl-20010315>

[XMLNS] Bray, T., Hollander, D., Layman, A., et al., Eds., "Namespaces in XML 1.0 (Third Edition)", W3C Recommendation, December 2009, <http://www.w3.org/TR/2009/REC-xml-names-20091208/>

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/>

[XMLSCHEMA2] Biron, P.V., Ed. and Malhotra, A., Ed., "XML Schema Part 2: Datatypes", W3C Recommendation, May 2001, <http://www.w3.org/TR/2001/REC-xmlschema-2-20010502/>

1.2.2 Informative References

[MS-GLOS] Microsoft Corporation, "[Windows Protocols Master Glossary](#)".

[MS-OFCGLOS] Microsoft Corporation, "[Microsoft Office Master Glossary](#)".

[MS-SPTWS] Microsoft Corporation, "[Service Platform Topology Web Service Protocol Specification](#)"

[RFC2818] Rescorla, E., "HTTP Over TLS", RFC 2818, May 2000, <http://www.ietf.org/rfc/rfc2818.txt>

[SOAP1.2/2] Gudgin, M., Hadley, M., Mendelsohn, N., Moreau, J., and Nielsen, H.F., "SOAP Version 1.2 Part 2: Adjuncts", W3C Recommendation, June 2003, <http://www.w3.org/TR/2003/REC-soap12-part2-20030624>

1.3 Protocol Overview (Synopsis)

Site collections use shared configuration data in enterprise and hosting scenarios. This protocol enables delegation of certain configuration data for this group of site collections to additional administrators.

To facilitate these scenarios, this protocol can set, remove, and read **property sets** for a particular set of site collections.

1.4 Relationship to Other Protocols

This protocol uses the **SOAP** message protocol for formatting request and response messages, as described in [\[SOAP1.1\]](#), [\[SOAP1.2/1\]](#) and [\[SOAP1.2/2\]](#). It transmits those messages by using **HTTP**, as described in [\[RFC2616\]](#), or **HTTPS**, as described in [\[RFC2818\]](#).

The following diagram shows the underlying messaging and transport stack used by the protocol:




Figure 1: This protocol in relation to other protocols

1.5 Prerequisites/Preconditions

This protocol operates against a protocol server that exposes one or more **endpoint (4) URIs** that are known by protocol clients. The endpoint (4) URI of the protocol server and the transport that is used by the protocol server are either known by the protocol client or obtained by using the discovery mechanism that is described in [\[MS-SPTWS\]](#).

The protocol client obtains the requisite ApplicationClassId and ApplicationVersion values and the endpoint (4) URI of the protocol server that provides the discovery mechanism, as described in [MS-SPTWS], by means that are independent of either protocol.

This protocol requires the protocol client to have appropriate permission to call the methods on the protocol server.

The protocol client implements the token-based security mechanisms that are required by the protocol server and related security protocols, as described in [\[MS-SPSTWS\]](#).

1.6 Applicability Statement

None.

1.7 Versioning and Capability Negotiation

This document covers versioning issues in the following areas:

- **Supported Transports:** This protocol can be implemented by using transports that support sending SOAP messages, as specified in [2.1](#).
- **Protocol Versions:** This protocol is not versioned.

Capability Negotiation: This protocol does not support version negotiation.

1.8 Vendor-Extensible Fields

None.

1.9 Standards Assignments

None.

2 Messages

2.1 Transport

Protocol servers MUST support SOAP over HTTP or HTTPS.

All protocol messages MUST be transported by using HTTP bindings at the transport level.

Protocol messages MUST be formatted as specified in either [\[SOAP1.1\]](#) section 4 or [\[SOAP1.2/1\]](#) section 5. Protocol server faults MUST be returned by using either HTTP status codes, as specified in [\[RFC2616\]](#) section 10, or **SOAP faults**, as specified in [\[SOAP1.1\]](#) section 4.4 or [\[SOAP1.2/1\]](#) section 5.4.

If the HTTPS transport is used, a server certificate MUST be deployed.

This protocol MAY transmit an additional SOAP header, the **ServiceContext** header, as specified in [\[MS-SPSTWS\]](#).

This protocol does not define any means for activating a protocol server or protocol client. The protocol server MUST be configured and begin listening in an implementation-specific way. In addition, the protocol client MUST know the format and transport that is used by the protocol server, for example, the SOAP format over an HTTP transport.

2.2 Common Message Syntax

This section specifies messages that are used by several operations in this protocol. The syntax uses the XML Schema as specified in [\[XMLSCHEMA1\]](#) and [\[XMLSCHEMA2\]](#), and the Web Services Description Language as specified in [\[WSDL\]](#).

2.2.1 Namespaces

This specification defines and references various XML namespaces using the mechanisms specified in [\[XMLNS\]](#). Although this specification associates a specific XML namespace prefix for each XML namespace, the choice of any particular XML namespace prefix is implementation-specific and not significant for interoperability.

2.2.2 Messages

None.

2.2.3 Elements

None.

2.2.4 Complex Types

The following table contains the common XML Schema complex types specified by this protocol. XML Schema complex types that are specific to a particular operation are specified with the operation.

Complex type	Description
SPSubscriptionSettingsActionFault	A SOAP fault.
SPSubscriptionSettingsPropertySet	The information that specifies a property set.

Complex type	Description
SPSubscriptionSettingsPropertySetInfo	A subset of metadata for a property set.
SPSubscriptionSettingsPropertySetResult	A subset of metadata for a property set.

2.2.4.1 SPSubscriptionSettingsActionFault (from namespace <http://schemas.datacontract.org/2004/07/Microsoft.SharePoint>)

The **SPSubscriptionSettingsActionFault** element specifies a SOAP fault.

```
<xs:complexType name="SPSubscriptionSettingsActionFault">
  <xs:sequence>
    <xs:element minOccurs="0" name="m_faultType"
type="tns:SPSubscriptionSettingsActionFaultType"/>
    <xs:element minOccurs="0" name="m_message" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

m_faultType: This element contains the type of the SOAP fault. It MUST conform to the XML schema of the **SPSubscriptionSettingsActionFaultType** specified in section [2.2.5.1](#).

m_message: This element is a string that specifies the SOAP fault.

2.2.4.2 SPSubscriptionSettingsPropertySet (from namespace <http://schemas.datacontract.org/2004/07/Microsoft.SharePoint>)

The **SPSubscriptionSettingsPropertySet** element contains the set of information that specifies a property set.

```
<xs:complexType name="SPSubscriptionSettingsPropertySet">
  <xs:sequence>
    <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid"/>
    <xs:element minOccurs="0" name="m_TypeId" type="ser:guid"/>
    <xs:element minOccurs="0" name="m_Version" type="xs:long"/>
    <xs:element minOccurs="0" name="m_Xml" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

m_PropertySetId: This element contains the **GUID** of the property set.

m_TypeId: This element contains the GUID of the type of the property set.

m_Version: This element contains the **version stamp** of the property set.

m_Xml: This element contains the list of property names and values contained in the property set. It MUST conform to the Subscription Settings Property Set XML schema as specified in [\[MS-SPSETSP\]](#) section 2.2.1.

2.2.4.3 SPSubscriptionSettingsPropertySetInfo (from namespace <http://schemas.datacontract.org/2004/07/Microsoft.SharePoint>)

The **SPSubscriptionSettingsPropertySetInfo** element specifies the subset of metadata for a property set.

```

<xs:complexType name="SPSubscriptionSettingsPropertySetInfo">
  <xs:sequence>
    <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid"/>
    <xs:element minOccurs="0" name="m_Version" type="xs:long"/>
  </xs:sequence>
</xs:complexType>

```

m_PropertySetId: This element contains the GUID of the property set.

m_Version: This element contains the version stamp of the property set.

2.2.4.4 SPSubscriptionSettingsPropertySetResult (from namespace <http://schemas.datacontract.org/2004/07/Microsoft.SharePoint>)

The **SPSubscriptionSettingsPropertySetResult** element specifies a subset of metadata for a property set.

```

<xs:complexType name="SPSubscriptionSettingsPropertySetResult">
  <xs:sequence>
    <xs:element minOccurs="0" name="m_Exists" type="xs:boolean"/>
    <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid"/>
    <xs:element minOccurs="0" name="m_Version" type="xs:long"/>
    <xs:element minOccurs="0" name="m_Xml" nillable="true" type="xs:string"/>
  </xs:sequence>
</xs:complexType>

```

m_Exists: This element specifies whether the property set exists. If the value is **FALSE**, the remaining members in this structure **MUST** be ignored.

m_PropertySetId: This element contains the GUID of the property set.

m_Version: The version stamp of the property set.

m_Xml: This element contains the list of property names and values contained in the property set. It **MUST** conform to the Subscription Settings Property Set XML schema as specified in [\[MS-SPSETSP\]](#) section 2.2.1.

2.2.5 Simple Types

The following summarizes the set of common XML Schema simple types specified by this protocol. XML Schema simple types that are specific to a particular operation are specified with the operation.

Simple type	Description
guid	Specifies the unique identifier.
SPSubscriptionSettingsActionFaultType	The error condition that triggered the SOAP fault.

2.2.5.1 SPSubscriptionSettingsActionFaultType (from namespace <http://schemas.datacontract.org/2004/07/Microsoft.SharePoint>)

The **SPSubscriptionSettingsActionFaultType** element specifies the error condition that triggered the SOAP fault.

```

<xs:simpleType name="SPSubscriptionSettingsActionFaultType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ArgumentOutOfRangeException"/>
    <xs:enumeration value="ArgumentNullException"/>
    <xs:enumeration value="SPDatabaseException"/>
    <xs:enumeration value="SPDeletedConcurrencyException"/>
    <xs:enumeration value="SPUpdatedConcurrencyException"/>
  </xs:restriction>
</xs:simpleType>

```

The following table specifies the allowable values for SPSubscriptionSettingsActionFaultType:

Value	Meaning
ArgumentOutOfRangeException	An argument in the input WSDL message was not in the expected range of values.
ArgumentNullException	An argument in the input WSDL message was NULL.
SPDatabaseException	An unexpected error occurred on the protocol server while processing the SOAP request.
SPDeletedConcurrencyException	The SOAP request attempted processing an object that was not found by the protocol server.
SPUpdatedConcurrencyException	The SOAP request attempted processing an object in the protocol server that was simultaneously updated by another request.

2.2.5.2 guid (from namespace <http://schemas.microsoft.com/2003/10/Serialization/>)

The **guid** element specifies the unique identifier.

```

<xs:simpleType name="guid">
  <xs:restriction base="xs:string">
    <xs:pattern value="[\da-fA-F]{8}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{12}"/>
  </xs:restriction>
</xs:simpleType>

```

2.2.6 Attributes

This specification does not define any common XML Schema attribute definitions.

2.2.7 Groups

This specification does not define any common XML Schema group definitions.

2.2.8 Attribute Groups

This specification does not define any common XML Schema attribute group definitions.

3 Protocol Details

The client side of this protocol is simply a pass-through. That is, no additional timers or other state is required on the client side of this protocol. Calls made by the higher-layer protocol or application are passed directly to the transport, and the results returned by the transport are passed directly back to the higher-layer protocol or application.

3.1 Server Details

3.1.1 Abstract Data Model

This section describes a conceptual model of possible data organization that an implementation maintains to participate in this protocol. The described organization is provided to facilitate the explanation of how the protocol behaves. This document does not mandate that implementations adhere to this model as long as their external behavior is consistent with that described in this document.

The protocol server maintains a list of property sets and their mappings to **site subscription identifiers**. The protocol server adds, changes, and deletes property set objects and their mappings from this list in response to messages from the protocol client.

There are three types of property sets: properties, administrative properties, and feature set. The properties type stores collections of settings, the administrative properties type stores values specifically for the system administrator(s), and the feature set type stores a list of identifiers that filter end user functionality. Each site subscription identifier can be associated with one of each property set type. The property set type is contained in the **m_TypeId** element.

Every property set is associated with exactly one identifier, type identifier, and version stamp. A property set is uniquely identified by the combination of its property set GUID and type identifier.

3.1.2 Timers

None.

3.1.3 Initialization

None.

3.1.4 Message Processing Events and Sequencing Rules

This specification includes the following **WSDL operations**:

WSDL Operation	Description
DeleteMapping	The DeleteMapping operation deletes the mapping of the site subscription identifier and the property set type identifier specified in the input message.
DeletePropertySet	The DeletePropertySet operation deletes the property set with the specified unique identifier and type identifier from the protocol server. It also deletes all associated mappings.
GetPropertySet	The GetPropertySet operation returns the property set specified by the property set identifier and the type identifier in the input message.
GetPropertySetIds	The GetPropertySetId operation returns an array of unique identifiers of the property sets that contain the type identifier specified in the input

WSDL Operation	Description
	message.
GetSubscriptionPropertySet	The GetSubscriptionPropertySet operation returns the property set with the specified type identifier and maps to the site subscription identifier specified in the input message.
SetMapping	The SetMapping operation creates or updates the mapping of the property set type identifier and the site subscription identifier elements to the property set identifier specified in the input message.
SetPropertySet	The SetPropertySet operation creates a new property set or updates an existing property set.
SetSubscriptionPropertySet	The operation creates a new property set and a new mapping between it and the site subscription identifier specified in the input message.

3.1.4.1 DeleteMapping

The **DeleteMapping** operation deletes the mapping of the site subscription identifier and the property set type identifier specified in the input message.

```
<wsdl:operation name="DeleteMapping">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMapping"
    message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessage"/>
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMappingResponse"
    message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMessage"/>
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMappingSPSubscr
    iptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_SPSubscriptionSettingsActi
    onFaultFault_FaultMessage"/>
</wsdl:operation>
```

The protocol client sends an **ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessage** request WSDL message and the protocol server MUST respond with an **ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMessage** response WSDL message as follows:

1. If the specified site subscription identifier or type identifier are empty, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If the mapping between the specified site subscription identifier and type identifier exists, the protocol server MUST delete the mapping.
3. If the mapping between the specified site subscription identifier and the type identifier does not exist, the state of the protocol server MUST NOT change.
4. If the mapping exists and was not deleted, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "SPDatabaseException".

3.1.4.1.1 Messages

3.1.4.1.1.1

ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessage

The requested WSDL message for the **DeleteMapping** WSDL operation.

The **SOAP action** value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMapping
```

The **SOAP body** contains the **DeleteMapping** element.

3.1.4.1.1.2

ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMessage

The response WSDL message for the **DeleteMapping** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMappingResponse
```

The SOAP body contains the **DeleteMappingResponse** element.

3.1.4.1.2 Elements

3.1.4.1.2.1 DeleteMapping

The input data for the **DeleteMapping** WSDL operation.

```
<xs:element name="DeleteMapping">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="subscriptionId"
        xmlns:q13="http://schemas.microsoft.com/2003/10/Serialization/" type="q13:guid"/>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q14="http://schemas.microsoft.com/2003/10/Serialization/" type="q14:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

subscriptionId: This element contains the site subscription identifier.

typeId: This element contains the property set type identifier.

3.1.4.1.2.2 DeleteMappingResponse

The result data for the **DeleteMapping** WSDL operation.

```
<xs:element name="DeleteMappingResponse">
  <xs:complexType>
    <xs:sequence/>
  </xs:complexType>
```

</xs:element>

3.1.4.2 DeletePropertySet

The **DeletePropertySet** operation deletes the property set with the specified unique identifier and type identifier from the protocol server. It also deletes all associated mappings.

```
<wsdl:operation name="DeletePropertySet">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySet"
    message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage"/>
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySetResponse"
    message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage"/>
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySetSPSubscriptionSettingsActionFaultFault"
    name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage"/>
</wsdl:operation>
```

The protocol client sends an

ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage request WSDL message and the protocol server MUST respond with an

ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage response WSDL message as follows:

1. If the specified property set identifier or type identifier are empty, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If a property set with the specified unique identifier and type identifier exists, and the specified version stamp does not match the version stamp of the stored property set, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "SPUpdatedConcurrencyException".
3. If a property set with the specified unique identifier and type identifier does not exist, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "SPDeletedConcurrencyException".
4. If the property set exists with the specified unique identifier, type identifier and version stamp, the protocol server MUST delete the property set. The protocol server MUST also delete all mappings associated with the property set.
5. If the property set or the associated mappings cannot be deleted, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "SPDatabaseException". The state of the protocol server MUST NOT change in this case.

3.1.4.2.1 Messages

3.1.4.2.1.1

ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage

The requested WSDL message for the **DeletePropertySet** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySet
```

The SOAP body contains the **DeletePropertySet** element.

3.1.4.2.1.2

ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage

The response WSDL message for the **DeletePropertySet** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySetResponse
```

The SOAP body contains the **DeletePropertySetResponse** element.

3.1.4.2.2 Elements

3.1.4.2.2.1 DeletePropertySet

The input data for the **DeletePropertySet** WSDL operation.

```
<xs:element name="DeletePropertySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="propertySetId"
        xmlns:q6="http://schemas.microsoft.com/2003/10/Serialization/" type="q6:guid"/>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q7="http://schemas.microsoft.com/2003/10/Serialization/" type="q7:guid"/>
      <xs:element minOccurs="0" name="version" type="xs:long"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

propertySetId: This element contains the unique identifier of the property set.

typeId: This element contains the type identifier of the property set.

version: This element contains the version stamp of the property set.

3.1.4.2.2.2 DeletePropertySetResponse

The result data for the **DeletePropertySet** WSDL operation.

```
<xs:element name="DeletePropertySetResponse">
```

```

<xs:complexType>
  <xs:sequence/>
</xs:complexType>
</xs:element>

```

3.1.4.3 GetPropertySet

The **GetPropertySet** operation returns the property set specified by the property set identifier and the type identifier in the input message.

```

<wsdl:operation name="GetPropertySet">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySet"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage"/>
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetResponse"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage"/>
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetSPSubsc
    riptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_SPSubscriptionSettingsAct
    ionFaultFault_FaultMessage"/>
</wsdl:operation>

```

The protocol client sends an

ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage request WSDL message and the protocol server MUST respond with an

ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage response WSDL message as follows:

1. If the property set identifier or the type identifier that are specified in the input message are empty, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If the property set with the specified unique identifier and type identifier specified in the input message exists, the protocol server MUST return a response element of type **SPSubscriptionSettingsPropertySetResult** as specified in section [2.2.4.4](#). It contains information about the property set, and the **m_Exists** element is set to **TRUE**.
3. If the property set with the unique identifier and type identifier specified in the input message does not exist, the protocol server MUST return a response element of type **SPSubscriptionSettingsPropertySetResult** with the **m_Exists** element set to **FALSE**.

3.1.4.3.1 Messages

3.1.4.3.1.1

ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage

The requested WSDL message for the **GetPropertySet** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySet
```

The SOAP body contains the **GetPropertySet** element.

3.1.4.3.1.2

ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage

The response WSDL message for the **GetPropertySet** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetResponse
```

The SOAP body contains the **GetPropertySetResponse** element.

3.1.4.3.2 Elements

3.1.4.3.2.1 **GetPropertySet**

The input data for the **GetPropertySet** WSDL operation.

```
<xs:element name="GetPropertySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="propertySetId"
        xmlns:q1="http://schemas.microsoft.com/2003/10/Serialization/" type="q1:guid"/>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q2="http://schemas.microsoft.com/2003/10/Serialization/" type="q2:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

propertySetId: This element contains the unique identifier of the property set.

typeId: This element contains the type identifier of the property set.

3.1.4.3.2.2 **GetPropertySetResponse**

The result data for the **GetPropertySet** WSDL operation.

```
<xs:element name="GetPropertySetResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="GetPropertySetResult" nillable="true"
        xmlns:q3="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
        type="q3:SPSubscriptionSettingsPropertySetResult"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

GetPropertySetResult: This element contains information about the property set with the specified unique identifier and type identifier. This element **MUST** conform to the XML schema of the **SPSubscriptionSettingsPropertySetResult** element as specified in section [2.2.4.4](#).

3.1.4.4 GetPropertySetIds

The **GetPropertySetId** operation returns an array of unique identifiers of the property sets that contain the type identifier specified in the input message.

```
<wsdl:operation name="GetPropertySetIds">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIds"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage"/>
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIdsResponse"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage"/>
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIdsSPSubscriptionSettingsActionFaultFault"
    name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_SPSubscriptionSettingsActionFaultFault_FaultMessage"/>
</wsdl:operation>
```

The protocol client sends an

ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage request WSDL message and the protocol server MUST respond with an

ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage response WSDL message as follows:

1. If the property set type identifier specified in the input message is empty, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If an error occurs when retrieving property sets of the specified type identifier, the protocol server MUST return a **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "SPDatabaseException" as specified in section [2.2.5.1](#).
3. If property sets of the specified type identifier exist, the protocol server MUST return an array of GUIDs of all such property sets as specified in section [3.1.4.4.3.1](#).
4. If a property set of the specified type identifier does not exist, the protocol server MUST return an empty array of GUIDs.

3.1.4.4.1 Messages

3.1.4.4.1.1

ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage

The requested WSDL message for the **GetPropertySetIds** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIds
```

The SOAP body contains the **GetPropertySetIds** element.

3.1.4.4.1.2

ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage

The response WSDL message for the **GetPropertySetIds** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIdsResponse
```

The SOAP body contains the **GetPropertySetIdsResponse** element.

3.1.4.4.2 Elements

3.1.4.4.2.1 GetPropertySetIds

The input data for the **GetPropertySetIds** WSDL operation.

```
<xs:element name="GetPropertySetIds">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q8="http://schemas.microsoft.com/2003/10/Serialization/" type="q8:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

typeId: This element contains the type identifier of the property sets.

3.1.4.4.2.2 GetPropertySetIdsResponse

The result data for the **GetPropertySetIds** WSDL operation.

```
<xs:element name="GetPropertySetIdsResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="GetPropertySetIdsResult" nillable="true"
        xmlns:q9="http://schemas.microsoft.com/2003/10/Serialization/Arrays" type="q9:ArrayOfguid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

GetPropertySetIdsResult: This element is an array of GUIDs of property sets with the type identifier specified in the input message. This element MUST conform to the XML schema of the **ArrayOfguid** element specified in section [3.1.4.4.3.1](#).

3.1.4.4.3 Complex Types

3.1.4.4.3.1 ArrayOfguid (from namespace

<http://schemas.microsoft.com/2003/10/Serialization/Arrays>)

The **ArrayOfguid** element is an array of unique identifiers of property sets.

```
<xs:complexType name="ArrayOfguid">
```

```

<xs:sequence>
  <xs:element minOccurs="0" maxOccurs="unbounded" name="guid" type="ser:guid"/>
</xs:sequence>
</xs:complexType>

```

guid: This element contains the unique identifier of a property set.

3.1.4.5 GetSubscriptionPropertySet

The **GetSubscriptionPropertySet** operation returns the property set with the specified type identifier and maps to the site subscription identifier specified in the input message.

```

<wsdl:operation name="GetSubscriptionPropertySet">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySet"
    message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage"
  />
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySetResponse"
    message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage"
  />
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySetSPSubscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage"/>
  </wsdl:fault>
</wsdl:operation>

```

The protocol client sends an

ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage

request WSDL message and the protocol server MUST respond with an

ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage

response WSDL message as follows:

1. If the property set type identifier or the site subscription identifier specified in input message are null, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If a property set with the type identifier specified in the input message exists, and the property set has a mapping to the specified site subscription identifier, the protocol server sets the **m_Exists** element set to **TRUE** and MUST return a response message of type **SPSubscriptionSettingsPropertySetResult** as specified in section [2.2.4.4](#). The response message contains information about the property set.
3. If a mapping for the specified type identifier and site subscription identifier specified in the input message does not exist, or if the property set associated with the mapping for the site subscription identifier and type identifier does not exist, the protocol server MUST return a response element of type **SPSubscriptionSettingsPropertySetResult** with the **m_Exists** element set to **FALSE**.

3.1.4.5.1 Messages

3.1.4.5.1.1

ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage

The requested WSDL message for the **GetSubscriptionPropertySet** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySet
```

The SOAP body contains the **GetSubscriptionPropertySet** element.

3.1.4.5.1.2

ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage

The response WSDL message for the **GetSubscriptionPropertySet** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySetResponse
```

The SOAP body contains the **GetSubscriptionPropertySetResponse** element.

3.1.4.5.2 Elements

3.1.4.5.2.1 GetSubscriptionPropertySet

The input data for the **GetSubscriptionPropertySet** WSDL operation.

```
<xs:element name="GetSubscriptionPropertySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="subscriptionId"
        xmlns:q15="http://schemas.microsoft.com/2003/10/Serialization/" type="q15:guid"/>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q16="http://schemas.microsoft.com/2003/10/Serialization/" type="q16:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

subscriptionId: The site subscription identifier.

typeId: The type identifier of the property set.

3.1.4.5.2.2 GetSubscriptionPropertySetResponse

The result data for the **GetSubscriptionPropertySet** WSDL operation.

```
<xs:element name="GetSubscriptionPropertySetResponse">
```

```

<xs:complexType>
  <xs:sequence>
    <xs:element minOccurs="0" name="GetSubscriptionPropertySetResult" nillable="true"
      xmlns:q17="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
      type="q17:SPSubscriptionSettingsPropertySetResult"/>
  </xs:sequence>
</xs:complexType>
</xs:element>

```

GetSubscriptionPropertySetResult: This element contains information about the property set with the specified type identifier that has a mapping to the specified site subscription identifier. This element **MUST** conform to the XML schema of the **SPSubscriptionSettingsPropertySetResult** element specified in section [2.2.4.4](#).

3.1.4.6 SetMapping

The **SetMapping** operation creates or updates the mapping of the property set type identifier and the site subscription identifier elements to the property set identifier specified in the input message.

```

<wsdl:operation name="SetMapping">
  <wsdl:input>
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMapping"
    message="tns:ISubscriptionSettingsServiceApplication_SetMapping_InputMessage"/>
  <wsdl:output>
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMappingResponse"
    message="tns:ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage"/>
  <wsdl:fault>
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMappingSPSubscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_SetMapping_SPSubscriptionSettingsActionFaultFault_FaultMessage"/>
  </wsdl:fault>
</wsdl:operation>

```

The protocol client sends an

ISubscriptionSettingsServiceApplication_SetMapping_InputMessage request WSDL message and the protocol server **MUST** respond with an

ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage response WSDL message as follows:

1. If the property set identifier, the property set type identifier or the site subscription identifier in the input message are empty, the protocol server **MUST** return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "ArgumentOutOfRangeException" as specified in section [2.2.5.1](#).
2. If the property set identifier and property set type identifier are not empty, the property set identifier **MUST** be a property set identifier returned from a call to **GetPropertySetIds**.
3. If the mapping between the site subscription identifier and the specified property set type identifier does not exist, the protocol server **MUST** create a new mapping of the property set type identifier and the site subscription identifier elements to the specified property set identifier.
4. If the mapping between the site subscription identifier and the specified property set type identifier does exist, the protocol server **MUST** update the existing mapping to the specified property set identifier specified in the input message.

5. The protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "SPDatabaseException" if the mapping was not created or updated.

3.1.4.6.1 Messages

3.1.4.6.1.1 ISubscriptionSettingsServiceApplication_SetMapping_InputMessage

The requested WSDL message for the **SetMapping** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMapping
```

The SOAP body contains the **SetMapping** element.

3.1.4.6.1.2 ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage

The response WSDL message for the **SetMapping** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMappingResponse
```

The SOAP body contains the **SetMappingResponse** element.

3.1.4.6.2 Elements

3.1.4.6.2.1 SetMapping

The input data for the **SetMapping** WSDL operation.

```
<xs:element name="SetMapping">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="subscriptionId"
        xmlns:q10="http://schemas.microsoft.com/2003/10/Serialization/" type="q10:guid"/>
      <xs:element minOccurs="0" name="typeId"
        xmlns:q11="http://schemas.microsoft.com/2003/10/Serialization/" type="q11:guid"/>
      <xs:element minOccurs="0" name="propertySetId"
        xmlns:q12="http://schemas.microsoft.com/2003/10/Serialization/" type="q12:guid"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

subscriptionId: This element contains the site subscription identifier.

typeId: This element contains the type identifier of the property set.

propertySetId: This element contains the property set identifier.

3.1.4.6.2.2 SetMappingResponse

The result data for the **SetMapping** WSDL operation.

```
<xs:element name="SetMappingResponse">
  <xs:complexType>
    <xs:sequence/>
  </xs:complexType>
</xs:element>
```

3.1.4.7 SetPropertySet

The **SetPropertySet** operation creates a new property set or updates an existing property set.

```
<wsdl:operation name="SetPropertySet">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySet"
    message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage"/>
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySetResponse"
    message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage"/>
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySetSPSubsc
    riptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_SPSubscriptionSettingsAct
    ionFaultFault_FaultMessage"/>
</wsdl:operation>
```

The protocol client sends an

ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage request WSDL message and the protocol server MUST respond with an

ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage response WSDL message, as follows:

1. If the property set in the input message is **NULL**, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault that contains a **SPSubscriptionSettingsActionFaultType** element set to the value "ArgumentNullException" as specified in section [2.2.5.1](#).
2. If the property set identifier in the input message is empty, the protocol server MUST create a new property set and assign a new GUID to the property set.
3. If a property set with the unique identifier specified in the input message does not exist, and the version stamp specified in the input message is not null, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "SPDeletedConcurrencyException" as specified in section [2.2.5.1](#).
4. If a property set with the identifier specified in the input message exists, and the version stamp in the input message does not match the version stamp of the property set, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "SPUpdatedConcurrencyException" as specified in section [2.2.5.1](#).
5. If a property set with the unique identifier specified in the input message exists, and the version stamp in the input message matches the version stamp of the property set, the protocol server

MUST update the properties of the property set to match the ones in the input message. In addition, the protocol server MUST also increment the version stamp of the stored property set by one.

6. If the protocol server did not create or update the property set, it MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "SPDatabaseException" as specified in section [2.2.5.1](#).
7. If the protocol server successfully created or updated the property set, it MUST return an **SPSubscriptionSettingsPropertySetInfo** element that contains the unique identifier and version stamp elements of the property set as specified in section [2.2.4.3](#).

3.1.4.7.1 Messages

3.1.4.7.1.1

ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage

The requested WSDL message for the **SetPropertySet** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySet
```

The SOAP body contains the **SetPropertySet** element.

3.1.4.7.1.2

ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage

The response WSDL message for the **SetPropertySet** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySetResponse
```

The SOAP body contains the **SetPropertySetResponse** element.

3.1.4.7.2 Elements

3.1.4.7.2.1 SetPropertySet

The input data for the **SetPropertySet** WSDL operation.

```
<xs:element name="SetPropertySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="propertySet" nillable="true"
        xmlns:q4="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
        type="q4:SPSubscriptionSettingsPropertySet"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

propertySet: This element contains the property set to be created or updated. It MUST conform to the XML schema of the **SPSubscriptionSettingsPropertySet** element as specified in section [2.2.4.2](#).

3.1.4.7.2.2 SetPropertySetResponse

The result data for the **SetPropertySet** WSDL operation.

```
<xs:element name="SetPropertySetResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="SetPropertySetResult" nillable="true"
        xmlns:q5="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
        type="q5:SPSubscriptionSettingsPropertySetInfo"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

SetPropertySetResult: This element contains information about the property set that was created or updated. It MUST conform to the XML schema of the **SPSubscriptionSettingsPropertySetInfo** element as specified in section [2.2.4.3](#).

3.1.4.8 SetSubscriptionPropertySet

The operation creates a new property set and a new mapping between it and the site subscription identifier specified in the input message.

```
<wsdl:operation name="SetSubscriptionPropertySet">
  <wsdl:input
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySet"
    message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage"
  />
  <wsdl:output
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySetResponse"
    message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage"
  />
  <wsdl:fault
    wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySetSPSubscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
    message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage"/>
</wsdl:operation>
```

The protocol client sends an **ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage** request WSDL message and the protocol server MUST respond with an **ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage** response WSDL message as follows:

1. If the property set in the input message is **NULL**, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "ArgumentNullException" as specified in section [2.2.5.1](#).

2. If the site subscription identifier in the input message is empty, the protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "ArgumentOutOfRangeException".
3. The protocol server MUST generate a new GUID for the property set and store the property set in the list of property sets.
4. If the mapping does not exist between the property set type identifier and the site subscription identifier, the protocol server MUST create a new mapping, and then associate it with the input property set.
5. The protocol server MUST return an **SPSubscriptionSettingsActionFault** SOAP fault with the **SPSubscriptionSettingsActionFaultType** element set to the value "SPDatabaseException" for each of the following cases. The state of the protocol server MUST NOT change for any of these cases.
 1. The property set was not created.
 2. A mapping between the property set type identifier and the site subscription identifier already exists.
 3. The mapping was not created.
6. If the protocol server creates the specified property set, and also creates the mapping between it and the site subscription identifier, then the protocol server MUST return an **SPSubscriptionSettingsPropertySetInfo** element that contains the property set identifier and version stamp elements as specified in section [2.2.4.3](#).

3.1.4.8.1 Messages

3.1.4.8.1.1

ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage

The requested WSDL message for the **SetSubscriptionPropertySet** WSDL operation.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySet
```

The SOAP body contains the **SetSubscriptionPropertySet** element.

3.1.4.8.1.2

ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage

The response WSDL message for the **SetSubscriptionPropertySet** method.

The SOAP action value is:

```
http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySetResponse
```

The SOAP body contains the **SetSubscriptionPropertySetResponse** element.

3.1.4.8.2 Elements

3.1.4.8.2.1 SetSubscriptionPropertySet

The input data for the **SetSubscriptionPropertySet** WSDL operation.

```
<xs:element name="SetSubscriptionPropertySet">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="subscriptionId"
        xmlns:q18="http://schemas.microsoft.com/2003/10/Serialization/" type="q18:guid"/>
      <xs:element minOccurs="0" name="propertySet" nillable="true"
        xmlns:q19="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
        type="q19:SPSubscriptionSettingsPropertySet"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

subscriptionId: This element contains the site subscription identifier.

propertySet: This element contains the property set to create. It MUST conform to the XML schema of **SPSubscriptionSettingsPropertySet** element as specified in section [2.2.4.2](#).

3.1.4.8.2.2 SetSubscriptionPropertySetResponse

The result data for the **SetSubscriptionPropertySet** WSDL operation.

```
<xs:element name="SetSubscriptionPropertySetResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" name="SetSubscriptionPropertySetResult" nillable="true"
        xmlns:q20="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
        type="q20:SPSubscriptionSettingsPropertySetInfo"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

SetSubscriptionPropertySetResult: This element contains information about the property set that was created. It MUST conform to the XML schema of the **SPSubscriptionSettingsPropertySetInfo** element as specified in section [2.2.4.3](#).

3.1.5 Timer Events

None.

3.1.6 Other Local Events

None.

4 Protocol Examples

The following examples show how to work with property sets for this protocol

4.1 Manage a Site Subscription Property Set

These examples describe the sequence of requests and responses between the protocol client and protocol server during operations that manage the property set of a **site subscription**.

4.1.1 Create a New Property Set

The following examples create a property set for each property set type: Properties, Admin Properties and Feature Set.

To create a new property set that is described by the type identifier that contains the value "d5c46399-6d04-4489-82cd-aa36b8accefb" for property sets of type "Properties", the protocol client constructs the following WSDL message.

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySet xmlns="http://tempuri.org/">
      <propertySet xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>00000000-0000-0000-0000-000000000000</m_PropertySetId>
        <m_TypeId>d5c46399-6d04-4489-82cd-aa36b8accefb</m_TypeId>
        <m_Version>0</m_Version>
        <m_Xml>
          <entries>
            <entry name="SamplePropertySet1" type="int">123</entry>
          </entries>
        </m_Xml>
      </propertySet>
    </SetPropertySet>
  </s:Body>
</s:Envelope>
```

On successful creation of the new property set for properties type "Properties", the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySetResponse xmlns="http://tempuri.org/">
      <SetPropertySetResult
xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>a0c31f4a-5f92-4e6a-b954-42c5e22415d4</m_PropertySetId>
        <m_Version>1</m_Version>
      </SetPropertySetResult>
    </SetPropertySetResponse>
  </s:Body>
</s:Envelope>
```

To create a new property set that contains administrative properties, the type identifier that contains the value "83e6c4cb-8e96-4882-af00-421f586517f2" is used. The protocol client constructs the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySet xmlns="http://tempuri.org/">
      <propertySet xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>00000000-0000-0000-0000-000000000000</m_PropertySetId>
        <m_TypeId>83e6c4cb-8e96-4882-af00-421f586517f2</m_TypeId>
        <m_Version>0</m_Version>
        <m_Xml>
          <entries>
            <entry name="SampleAdminPropertySet1" type="int">456</entry>
          </entries>
        </m_Xml>
      </propertySet>
    </SetPropertySet>
  </s:Body>
</s:Envelope>

```

On successful creation of the new property set for administrative properties, the protocol server returns the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySetResponse xmlns="http://tempuri.org/">
      <SetPropertySetResult
xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>ba353017-18c4-4122-a613-f1bb3d55d34c</m_PropertySetId>
        <m_Version>1</m_Version>
      </SetPropertySetResult>
    </SetPropertySetResponse>
  </s:Body>
</s:Envelope>

```

To create a new property set that contains feature set properties, and the type identifier "47ef919c-588d-4cfc-a552-762f746a5127", the protocol client constructs the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySet xmlns="http://tempuri.org/">
      <propertySet xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>00000000-0000-0000-0000-000000000000</m_PropertySetId>
        <m_TypeId>47ef919c-588d-4cfc-a552-762f746a5127</m_TypeId>
        <m_Version>0</m_Version>
        <m_Xml>
          <entries>
            <entry name="FeatureIds" type="string" />
          </entries>
        </m_Xml>
      </propertySet>
    </SetPropertySet>
  </s:Body>
</s:Envelope>

```

On successful creation of the new property set of feature set properties, the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySetResponse xmlns="http://tempuri.org/">
      <SetPropertySetResult
xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</m_PropertySetId>
        <m_Version>1</m_Version>
      </SetPropertySetResult>
    </SetPropertySetResponse>
  </s:Body>
</s:Envelope>
```

4.1.2 Update a Property Set

To update the property set retrieved with the GUID set to the value "ed7319ca-547b-4369-ad8f-dc5f5b3c1669" and is associated with feature set type identifier "47ef919c-588d-4cfc-a552-762f746a5127", the protocol client constructs the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySet xmlns="http://tempuri.org/">
      <propertySet xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</m_PropertySetId>
        <m_TypeId>47ef919c-588d-4cfc-a552-762f746a5127</m_TypeId>
        <m_Version>1</m_Version>
        <m_Xml>
          <entries>
            <entry name="FeatureIds" type="string">00bfea71-1c5e-4a24-b310-
ba51c3eb7a57;</entry>
          </entries>
        </m_Xml>
      </propertySet>
    </SetPropertySet>
  </s:Body>
</s:Envelope>
```

On successful update of the property set that is associated with the GUID "ed7319ca-547b-4369-ad8f-dc5f5b3c1669" and contains feature set properties, the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetPropertySetResponse xmlns="http://tempuri.org/">
      <SetPropertySetResult
xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint">
        <m_PropertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</m_PropertySetId>
        <m_Version>2</m_Version>
      </SetPropertySetResult>
    </SetPropertySetResponse>
  </s:Body>
</s:Envelope>
```

4.1.3 Fetch a Property Set

To retrieve the property set that contains the GUID set to the value "ed7319ca-547b-4369-ad8f-dc5f5b3c1669" and whose type identifier contains the value "47ef919c-588d-4cfc-a552-762f746a5127" for feature set properties, the protocol client constructs the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope" >
  <s:Body>
    <GetPropertySet xmlns="http://tempuri.org/">
      <propertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</propertySetId>
      <typeId>47ef919c-588d-4cfc-a552-762f746a5127</typeId>
    </GetPropertySet>
  </s:Body>
</s:Envelope>
```

If the property set that contains the specified GUID and the type identifier exists, the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <GetPropertySetResponse xmlns="http://tempuri.org/">
      <GetPropertySetResult
xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" >
        <m_Exists>true</m_Exists>
        <m_PropertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</m_PropertySetId>
        <m_Version>2</m_Version>
        <m_Xml>
          <entries>
            <entry name="FeatureIds" type="string">00bfea71-1c5e-4a24-b310-
ba51c3eb7a57;</entry>
          </entries>
        </m_Xml>
      </GetPropertySetResult>
    </GetPropertySetResponse>
  </s:Body>
</s:Envelope>
```

4.1.4 Fetch Property Set Identifiers with Property Set Type

To retrieve the array of **GUIDs** of the property sets that are associated with type identifier "d5c46399-6d04-4489-82cd-aa36b8accef8" for property sets of type "properties", the protocol client constructs the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <GetPropertySetIds xmlns="http://tempuri.org/">
      <typeId>d5c46399-6d04-4489-82cd-aa36b8accef8</typeId>
    </GetPropertySetIds>
  </s:Body>
</s:Envelope>
```

If one or more property set elements that contain the specified type identifier exist, the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <GetPropertySetIdsResponse xmlns="http://tempuri.org/">
      <GetPropertySetIdsResult
xmlns="http://schemas.microsoft.com/2003/10/Serialization/Arrays" >
        <guid>a0c31f4a-5f92-4e6a-b954-42c5e22415d4</guid>
      </GetPropertySetIdsResult>
    </GetPropertySetIdsResponse>
  </s:Body>
</s:Envelope>
```

4.1.5 Create a Mapping Between a Property Set and a Site Subscription

To create the mapping between the property set and the site subscription, the protocol client constructs the WSDL message as shown in the following example. The property set contains a GUID set to the value "ed7319ca-547b-4369-ad8f-dc5f5b3c1669" and type identifier is set to the value "47ef919c-588d-4cfc-a552-762f746a5127" for feature set properties. The site subscription is associated with the GUID that is set to the value "4e5836a1-478d-4e8c-a965-e0a99ccf1e9c".

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetMapping xmlns="http://tempuri.org/">
      <subscriptionId>4e5836a1-478d-4e8c-a965-e0a99ccf1e9c</subscriptionId>
      <typeId>47ef919c-588d-4cfc-a552-762f746a5127</typeId>
      <propertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</propertySetId>
    </SetMapping>
  </s:Body>
</s:Envelope>
```

On successful creation of the mapping between the property set and the site subscription, the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetMappingResponse xmlns="http://tempuri.org/"></SetMappingResponse>
  </s:Body>
</s:Envelope>
```

4.1.6 Create a New Property Set and Mapping to a Site Subscription

To create a new property set that contains a type identifier set to the value "d5c46399-6d04-4489-82cd-aa36b8accefb" for properties of type "Properties", and also create a new mapping between it and the site subscription that contains the GUID that is set to the value "0e6b9180-6e6f-44d3-8573-4917ce77917e", the protocol client constructs the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetSubscriptionPropertySet xmlns="http://tempuri.org/">
      <subscriptionId>0e6b9180-6e6f-44d3-8573-4917ce77917e</subscriptionId>
      <propertySet xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" >
        <m_PropertySetId>00000000-0000-0000-0000-000000000000</m_PropertySetId>
        <m_TypeId>d5c46399-6d04-4489-82cd-aa36b8accefb</m_TypeId>
        <m_Version>0</m_Version>
      </propertySet>
    </SetSubscriptionPropertySet>
  </s:Body>
</s:Envelope>
```

```

    <m_Xml>
      <entries>
        <entry name="SamplePropertySet2" type="int">789</entry>
      </entries>
    </m_Xml>
  </propertySet>
</SetSubscriptionPropertySet>
</s:Body>
</s:Envelope>

```

On successful creation of the property set of type "Properties" and a new mapping to the site subscription, the protocol server returns the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <SetSubscriptionPropertySetResponse xmlns="http://tempuri.org/">
      <SetSubscriptionPropertySetResult
        xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" >
        <m_PropertySetId>2ec06784-b04d-4ab1-b7c7-ee667e072dad</m_PropertySetId>
        <m_Version>1</m_Version>
      </SetSubscriptionPropertySetResult>
    </SetSubscriptionPropertySetResponse>
  </s:Body>
</s:Envelope>

```

4.1.7 Fetch a Site Subscription Property Set

To retrieve the property set that contains the type identifier that is set to the value "47ef919c-588d-4cfc-a552-762f746a5127" for feature set properties, and has a mapping to a site subscription that contains a GUID set to the value "4e5836a1-478d-4e8c-a965-e0a99ccf1e9c", the protocol client constructs the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <GetSubscriptionPropertySet xmlns="http://tempuri.org/">
      <subscriptionId>4e5836a1-478d-4e8c-a965-e0a99ccf1e9c</subscriptionId>
      <typeId>47ef919c-588d-4cfc-a552-762f746a5127</typeId>
    </GetSubscriptionPropertySet>
  </s:Body>
</s:Envelope>

```

If the property set that contains the specified type identifier exists and its mapping to the site subscription that contains the specified GUID exists, the protocol server returns the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <GetSubscriptionPropertySetResponse xmlns="http://tempuri.org/">
      <GetSubscriptionPropertySetResult
        xmlns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" >
        <m_Exists>true</m_Exists>
        <m_PropertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</m_PropertySetId>
        <m_Version>2</m_Version>
        <m_Xml>

```

```

        <entries>
          <entry name="FeatureIds" type="string">00bfea71-1c5e-4a24-b310-
ba51c3eb7a57;</entry>
        </entries>
      </m_Xml>
    </GetSubscriptionPropertySetResult>
  </GetSubscriptionPropertySetResponse>
</s:Body>
</s:Envelope>

```

4.1.8 Delete a Mapping Between a Property Set and a Site Subscription

To delete the mapping between the property set that contains a type identifier that is set to the value "47ef919c-588d-4cfc-a552-762f746a5127" for feature set properties, and the site subscription that contains GUID that is set to the value "4e5836a1-478d-4e8c-a965-e0a99ccf1e9c", the protocol client constructs the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <DeleteMapping xmlns="http://tempuri.org/">
      <subscriptionId>4e5836a1-478d-4e8c-a965-e0a99ccf1e9c</subscriptionId>
      <typeId>47ef919c-588d-4cfc-a552-762f746a5127</typeId>
    </DeleteMapping>
  </s:Body>
</s:Envelope>

```

If at least one property set that contains the specified type identifier exists, and the type identifier mapping to the site subscription that contains the specified GUID also exists, on successful delete the protocol server returns the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <DeleteMappingResponse xmlns="http://tempuri.org/"></DeleteMappingResponse>
  </s:Body>
</s:Envelope>

```

4.1.9 Delete a Property Set

To delete the property set that contains the GUID that is set to the value "ed7319ca-547b-4369-ad8f-dc5f5b3c1669" and also contains the type identifier that is set to the value "47ef919c-588d-4cfc-a552-762f746a5127" for feature set properties, and then delete all associated mappings, the protocol client constructs the following WSDL message:

```

<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <DeletePropertySet xmlns="http://tempuri.org/">
      <propertySetId>ed7319ca-547b-4369-ad8f-dc5f5b3c1669</propertySetId>
      <typeId>47ef919c-588d-4cfc-a552-762f746a5127</typeId>
      <version>2</version>
    </DeletePropertySet>
  </s:Body>
</s:Envelope>

```

If the property set exists that contains the specified GUID, type identifier, and version stamp, on successful delete the protocol server returns the following WSDL message:

```
<s:Envelope xmlns:s="http://www.w3.org/2003/05/soap-envelope">
  <s:Body>
    <DeletePropertySetResponse xmlns="http://tempuri.org/"></DeletePropertySetResponse>
  </s:Body>
</s:Envelope>
```

5 Security

5.1 Security Considerations for Implementers

There are no additional security considerations. Security assumptions for this protocol are documented in section [1.5](#).

5.2 Index of Security Parameters

None.

6 Appendix A: Full WSDL

For ease of implementation, the full WSDL is provided here.

```
<?xml version="1.0" encoding="utf-8"?>
<wsdl:definitions xmlns:tns="http://tempuri.org/"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns:wsam="http://www.w3.org/2007/05/addressing/metadata"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema" name="SPSubscriptionSettingsServiceApplication"
  targetNamespace="http://tempuri.org/" xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/">
  <wsdl:types>
    <xs:schema elementFormDefault="qualified" targetNamespace="http://tempuri.org/"
      xmlns:xs="http://www.w3.org/2001/XMLSchema">
      <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
      <xs:import namespace="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" />
      <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/Arrays" />
      <xs:element name="GetPropertySet">
        <xs:complexType>
          <xs:sequence>
            <xs:element xmlns:q1="http://schemas.microsoft.com/2003/10/Serialization/"
              minOccurs="0" name="propertySetId" type="q1:guid" />
            <xs:element xmlns:q2="http://schemas.microsoft.com/2003/10/Serialization/"
              minOccurs="0" name="typeId" type="q2:guid" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="GetPropertySetResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element
              xmlns:q3="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
              name="GetPropertySetResult" nillable="true" type="q3:SPSubscriptionSettingsPropertySetResult"
            />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="SetPropertySet">
        <xs:complexType>
          <xs:sequence>
            <xs:element
              xmlns:q4="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
              name="propertySet" nillable="true" type="q4:SPSubscriptionSettingsPropertySet" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="SetPropertySetResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element
              xmlns:q5="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
              name="SetPropertySetResult" nillable="true" type="q5:SPSubscriptionSettingsPropertySetInfo"
            />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="DeletePropertySet">
        <xs:complexType>
          <xs:sequence>
            <xs:element xmlns:q6="http://schemas.microsoft.com/2003/10/Serialization/"
              minOccurs="0" name="propertySetId" type="q6:guid" />
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:schema>
  </wsdl:types>

```

```

        <xs:element xmlns:q7="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="typeId" type="q7:guid" />
        <xs:element minOccurs="0" name="version" type="xs:long" />
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="DeletePropertySetResponse">
    <xs:complexType>
        <xs:sequence />
    </xs:complexType>
</xs:element>
<xs:element name="GetPropertySetIds">
    <xs:complexType>
        <xs:sequence>
            <xs:element xmlns:q8="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="typeId" type="q8:guid" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="GetPropertySetIdsResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element xmlns:q9="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
minOccurs="0" name="GetPropertySetIdsResult" nillable="true" type="q9:ArrayOfguid" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="SetMapping">
    <xs:complexType>
        <xs:sequence>
            <xs:element xmlns:q10="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="subscriptionId" type="q10:guid" />
            <xs:element xmlns:q11="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="typeId" type="q11:guid" />
            <xs:element xmlns:q12="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="propertySetId" type="q12:guid" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="SetMappingResponse">
    <xs:complexType>
        <xs:sequence />
    </xs:complexType>
</xs:element>
<xs:element name="DeleteMapping">
    <xs:complexType>
        <xs:sequence>
            <xs:element xmlns:q13="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="subscriptionId" type="q13:guid" />
            <xs:element xmlns:q14="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="typeId" type="q14:guid" />
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="DeleteMappingResponse">
    <xs:complexType>
        <xs:sequence />
    </xs:complexType>
</xs:element>
<xs:element name="GetSubscriptionPropertySet">

```

```

        <xs:complexType>
            <xs:sequence>
                <xs:element xmlns:q15="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="subscriptionId" type="q15:guid" />
                <xs:element xmlns:q16="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="typeId" type="q16:guid" />
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="GetSubscriptionPropertySetResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
xmlns:q17="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
name="GetSubscriptionPropertySetResult" nillable="true"
type="q17:SPSubscriptionSettingsPropertySetResult" />
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="SetSubscriptionPropertySet">
        <xs:complexType>
            <xs:sequence>
                <xs:element xmlns:q18="http://schemas.microsoft.com/2003/10/Serialization/"
minOccurs="0" name="subscriptionId" type="q18:guid" />
                <xs:element
xmlns:q19="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
name="propertySet" nillable="true" type="q19:SPSubscriptionSettingsPropertySet" />
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="SetSubscriptionPropertySetResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
xmlns:q20="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint" minOccurs="0"
name="SetSubscriptionPropertySetResult" nillable="true"
type="q20:SPSubscriptionSettingsPropertySetInfo" />
            </xs:sequence>
        </xs:complexType>
    </xs:element>
</xs:schema>
<xs:schema xmlns:tns="http://schemas.microsoft.com/2003/10/Serialization/"
attributeFormDefault="qualified" elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:element name="anyType" nillable="true" type="xs:anyType" />
    <xs:element name="anyURI" nillable="true" type="xs:anyURI" />
    <xs:element name="base64Binary" nillable="true" type="xs:base64Binary" />
    <xs:element name="boolean" nillable="true" type="xs:boolean" />
    <xs:element name="byte" nillable="true" type="xs:byte" />
    <xs:element name="dateTime" nillable="true" type="xs:dateTime" />
    <xs:element name="decimal" nillable="true" type="xs:decimal" />
    <xs:element name="double" nillable="true" type="xs:double" />
    <xs:element name="float" nillable="true" type="xs:float" />
    <xs:element name="int" nillable="true" type="xs:int" />
    <xs:element name="long" nillable="true" type="xs:long" />
    <xs:element name="QName" nillable="true" type="xs:QName" />
    <xs:element name="short" nillable="true" type="xs:short" />
    <xs:element name="string" nillable="true" type="xs:string" />
    <xs:element name="unsignedByte" nillable="true" type="xs:unsignedByte" />

```

```

<xs:element name="unsignedInt" nillable="true" type="xs:unsignedInt" />
<xs:element name="unsignedLong" nillable="true" type="xs:unsignedLong" />
<xs:element name="unsignedShort" nillable="true" type="xs:unsignedShort" />
<xs:element name="char" nillable="true" type="tns:char" />
<xs:simpleType name="char">
  <xs:restriction base="xs:int" />
</xs:simpleType>
<xs:element name="duration" nillable="true" type="tns:duration" />
<xs:simpleType name="duration">
  <xs:restriction base="xs:duration">
    <xs:pattern value="-?P(\d*D)?(T(\d*H)?(\d*M)?(\d*(\.\d*)?S)?)?" />
    <xs:minInclusive value="-P10675199DT2H48M5.4775808S" />
    <xs:maxInclusive value="P10675199DT2H48M5.4775807S" />
  </xs:restriction>
</xs:simpleType>
<xs:element name="guid" nillable="true" type="tns:guid" />
<xs:simpleType name="guid">
  <xs:restriction base="xs:string">
    <xs:pattern value="[\da-fA-F]{8}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{4}-[\da-fA-F]{12}" />
  </xs:restriction>
</xs:simpleType>
<xs:attribute name="FactoryType" type="xs:QName" />
<xs:attribute name="Id" type="xs:ID" />
<xs:attribute name="Ref" type="xs:IDREF" />
</xs:schema>
<xs:schema xmlns:tns="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
  xmlns:ser="http://schemas.microsoft.com/2003/10/Serialization/"
  elementFormDefault="qualified"
  targetNamespace="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
  xmlns:xs="http://www.w3.org/2001/XMLSchema">
  <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
  <xs:complexType name="SPSubscriptionSettingsPropertySetResult">
    <xs:sequence>
      <xs:element minOccurs="0" name="m_Exists" type="xs:boolean" />
      <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid" />
      <xs:element minOccurs="0" name="m_Version" type="xs:long" />
      <xs:element minOccurs="0" name="m_Xml" nillable="true" type="xs:string" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="SPSubscriptionSettingsPropertySetResult" nillable="true"
    type="tns:SPSubscriptionSettingsPropertySetResult" />
  <xs:complexType name="SPSubscriptionSettingsActionFault">
    <xs:sequence>
      <xs:element minOccurs="0" name="m_faultType"
        type="tns:SPSubscriptionSettingsActionFaultType" />
      <xs:element minOccurs="0" name="m_message" nillable="true" type="xs:string" />
    </xs:sequence>
  </xs:complexType>
  <xs:element name="SPSubscriptionSettingsActionFault" nillable="true"
    type="tns:SPSubscriptionSettingsActionFault" />
  <xs:simpleType name="SPSubscriptionSettingsActionFaultType">
    <xs:restriction base="xs:string">
      <xs:enumeration value="ArgumentOutOfRangeException" />
      <xs:enumeration value="ArgumentNullException" />
      <xs:enumeration value="SPDatabaseException" />
      <xs:enumeration value="SPDeletedConcurrencyException" />
      <xs:enumeration value="SPUpdatedConcurrencyException" />
    </xs:restriction>
  </xs:simpleType>

```

```

    <xs:element name="SPSubscriptionSettingsActionFaultType" nillable="true"
type="tns:SPSubscriptionSettingsActionFaultType" />
    <xs:complexType name="SPSubscriptionSettingsPropertySet">
        <xs:sequence>
            <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid" />
            <xs:element minOccurs="0" name="m_TypeId" type="ser:guid" />
            <xs:element minOccurs="0" name="m_Version" type="xs:long" />
            <xs:element minOccurs="0" name="m_Xml" nillable="true" type="xs:string" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="SPSubscriptionSettingsPropertySet" nillable="true"
type="tns:SPSubscriptionSettingsPropertySet" />
    <xs:complexType name="SPSubscriptionSettingsPropertySetInfo">
        <xs:sequence>
            <xs:element minOccurs="0" name="m_PropertySetId" type="ser:guid" />
            <xs:element minOccurs="0" name="m_Version" type="xs:long" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="SPSubscriptionSettingsPropertySetInfo" nillable="true"
type="tns:SPSubscriptionSettingsPropertySetInfo" />
</xs:schema>
<xs:schema xmlns:tns="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
xmlns:ser="http://schemas.microsoft.com/2003/10/Serialization/"
elementFormDefault="qualified"
targetNamespace="http://schemas.microsoft.com/2003/10/Serialization/Arrays"
xmlns:xs="http://www.w3.org/2001/XMLSchema">
    <xs:import namespace="http://schemas.microsoft.com/2003/10/Serialization/" />
    <xs:complexType name="ArrayOfguid">
        <xs:sequence>
            <xs:element minOccurs="0" maxOccurs="unbounded" name="guid" type="ser:guid" />
        </xs:sequence>
    </xs:complexType>
    <xs:element name="ArrayOfguid" nillable="true" type="tns:ArrayOfguid" />
</xs:schema>
</wsdl:types>
<wsdl:message name="ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage">
    <wsdl:part name="parameters" element="tns:GetPropertySet" />
</wsdl:message>
<wsdl:message name="ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetPropertySetResponse" />
</wsdl:message>
<wsdl:message
name="ISubscriptionSettingsServiceApplication_GetPropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage">
    <wsdl:part xmlns:q1="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q1:SPSubscriptionSettingsActionFault" />
</wsdl:message>
<wsdl:message name="ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage">
    <wsdl:part name="parameters" element="tns:SetPropertySet" />
</wsdl:message>
<wsdl:message name="ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage">
    <wsdl:part name="parameters" element="tns:SetPropertySetResponse" />
</wsdl:message>
<wsdl:message
name="ISubscriptionSettingsServiceApplication_SetPropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage">
    <wsdl:part xmlns:q2="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q2:SPSubscriptionSettingsActionFault" />
</wsdl:message>

```

```

    <wsdl:message
name="ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage">
    <wsdl:part name="parameters" element="tns:DeletePropertySet" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage">
    <wsdl:part name="parameters" element="tns:DeletePropertySetResponse" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_DeletePropertySet_SPSubscriptionSettingsActionF
aultFault_FaultMessage">
    <wsdl:part xmlns:q3="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q3:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage">
    <wsdl:part name="parameters" element="tns:GetPropertySetIds" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetPropertySetIdsResponse" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetPropertySetIds_SPSubscriptionSettingsActionF
aultFault_FaultMessage">
    <wsdl:part xmlns:q4="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q4:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:message name="ISubscriptionSettingsServiceApplication_SetMapping_InputMessage">
    <wsdl:part name="parameters" element="tns:SetMapping" />
    </wsdl:message>
    <wsdl:message name="ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage">
    <wsdl:part name="parameters" element="tns:SetMappingResponse" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_SetMapping_SPSubscriptionSettingsActionFaultFau
lt_FaultMessage">
    <wsdl:part xmlns:q5="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q5:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:message name="ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessage">
    <wsdl:part name="parameters" element="tns:DeleteMapping" />
    </wsdl:message>
    <wsdl:message name="ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMessage">
    <wsdl:part name="parameters" element="tns:DeleteMappingResponse" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_DeleteMapping_SPSubscriptionSettingsActionFaultF
ault_FaultMessage">
    <wsdl:part xmlns:q6="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q6:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage">
    <wsdl:part name="parameters" element="tns:GetSubscriptionPropertySet" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage">
    <wsdl:part name="parameters" element="tns:GetSubscriptionPropertySetResponse" />
    </wsdl:message>

```

```

    <wsdl:message
name="ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_SPSubscriptionSettin
gsActionFaultFault_FaultMessage">
    <wsdl:part xmlns:q7="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q7:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage">
    <wsdl:part name="parameters" element="tns:SetSubscriptionPropertySet" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage">
    <wsdl:part name="parameters" element="tns:SetSubscriptionPropertySetResponse" />
    </wsdl:message>
    <wsdl:message
name="ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_SPSubscriptionSettin
gsActionFaultFault_FaultMessage">
    <wsdl:part xmlns:q8="http://schemas.datacontract.org/2004/07/Microsoft.SharePoint"
name="detail" element="q8:SPSubscriptionSettingsActionFault" />
    </wsdl:message>
    <wsdl:portType name="ISubscriptionSettingsServiceApplication">
    <wsdl:operation name="GetPropertySet">
    <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySet"
message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_InputMessage" />
    <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetRespons
e" message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_OutputMessage" />
    <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetSPSubsc
riptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_GetPropertySet_SPSubscriptionSettingsAct
ionFaultFault_FaultMessage" />
    </wsdl:operation>
    <wsdl:operation name="SetPropertySet">
    <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySet"
message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_InputMessage" />
    <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySetRespons
e" message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_OutputMessage" />
    <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySetSPSubsc
riptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_SetPropertySet_SPSubscriptionSettingsAct
ionFaultFault_FaultMessage" />
    </wsdl:operation>
    <wsdl:operation name="DeletePropertySet">
    <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySet"
message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_InputMessage" />
    <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySetResp
onse" message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_OutputMessage"
/>
    <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySetSPSu
bscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_DeletePropertySet_SPSubscriptionSettings
ActionFaultFault_FaultMessage" />
    </wsdl:operation>
    <wsdl:operation name="GetPropertySetIds">

```

```

        <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIds"
message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_InputMessage" />
        <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIdsResponse"
message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_OutputMessage"
/>
        <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIdsSPSubs
criptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_GetPropertySetIds_SPSubscriptionSettings
ActionFaultFault_FaultMessage" />
        </wsdl:operation>
        <wsdl:operation name="SetMapping">
        <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMapping"
message="tns:ISubscriptionSettingsServiceApplication_SetMapping_InputMessage" />
        <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMappingResponse"
message="tns:ISubscriptionSettingsServiceApplication_SetMapping_OutputMessage" />
        <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMappingSPSubscript
ionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_SetMapping_SPSubscriptionSettingsActi
onFaultFault_FaultMessage" />
        </wsdl:operation>
        <wsdl:operation name="DeleteMapping">
        <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMapping"
message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_InputMessage" />
        <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMappingResponse"
message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_OutputMessage" />
        <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMappingSPSubscri
ptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_DeleteMapping_SPSubscriptionSettingsActi
onFaultFault_FaultMessage" />
        </wsdl:operation>
        <wsdl:operation name="GetSubscriptionPropertySet">
        <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionProper
tySet"
message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_InputMessage"
/>
        <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionProper
tySetResponse"
message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_OutputMessage"
/>
        <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionProper
tySetSPSubscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_GetSubscriptionPropertySet_SPSubscriptio
nSettingsActionFaultFault_FaultMessage" />
        </wsdl:operation>
        <wsdl:operation name="SetSubscriptionPropertySet">
        <wsdl:input
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionProper
tySet"
message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_InputMessage"
/>

```

```

        <wsdl:output
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySetResponse"
message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_OutputMessage" />

        <wsdl:fault
wsam:Action="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropertySetSPSubscriptionSettingsActionFaultFault" name="SPSubscriptionSettingsActionFaultFault"
message="tns:ISubscriptionSettingsServiceApplication_SetSubscriptionPropertySet_SPSubscriptionSettingsActionFaultFault_FaultMessage" />
    </wsdl:operation>
</wsdl:portType>
    <wsdl:binding name="CustomBinding_ISubscriptionSettingsServiceApplication"
type="tns:ISubscriptionSettingsServiceApplication">
        <soap:binding transport="http://schemas.xmlsoap.org/soap/http" />
        <wsdl:operation name="GetPropertySet">
            <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySet"
style="document" />
                <wsdl:input>
                    <soap:body use="literal" />
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal" />
                </wsdl:output>
                <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
                    <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace="" />
            </wsdl:fault>
        </wsdl:operation>
        <wsdl:operation name="SetPropertySet">
            <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetPropertySet"
style="document" />
                <wsdl:input>
                    <soap:body use="literal" />
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal" />
                </wsdl:output>
                <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
                    <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace="" />
            </wsdl:fault>
        </wsdl:operation>
        <wsdl:operation name="DeletePropertySet">
            <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeletePropertySet"
style="document" />
                <wsdl:input>
                    <soap:body use="literal" />
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal" />
                </wsdl:output>
                <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
                    <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace="" />
            </wsdl:fault>
        </wsdl:operation>
        <wsdl:operation name="GetPropertySetIds">

```

```

        <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetPropertySetIds"
style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
        <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
            <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace=""
/>
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="SetMapping">
        <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetMapping"
style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
        <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
            <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace=""
/>
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="DeleteMapping">
        <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/DeleteMapping"
style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
        <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
            <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace=""
/>
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="GetSubscriptionPropertySet">
        <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/GetSubscriptionPropertySet"
style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
        <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
            <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace=""
/>
        </wsdl:fault>
    </wsdl:operation>
    <wsdl:operation name="SetSubscriptionPropertySet">

```

```

        <soap:operation
soapAction="http://tempuri.org/ISubscriptionSettingsServiceApplication/SetSubscriptionPropert
ySet" style="document" />
        <wsdl:input>
            <soap:body use="literal" />
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal" />
        </wsdl:output>
        <wsdl:fault name="SPSubscriptionSettingsActionFaultFault">
            <soap:fault use="literal" name="SPSubscriptionSettingsActionFaultFault" namespace=""
/>
        </wsdl:fault>
    </wsdl:operation>
</wsdl:binding>
</wsdl:definitions>

```

7 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- Microsoft® SharePoint® Foundation 2010

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

8 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

9 Index

A

Abstract data model
 [server](#) 13
[Applicability](#) 8
[Attribute groups](#) 12
[Attributes](#) 12

C

[Capability negotiation](#) 8
[Change tracking](#) 52
Client
 [overview](#) 13
[Complex types](#) 9
 [SPSubscriptionSettingsActionFault \(from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint\)](#) 10
 [SPSubscriptionSettingsPropertySet \(from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint\)](#) 10
 [SPSubscriptionSettingsPropertySetInfo \(from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint\)](#) 10
 [SPSubscriptionSettingsPropertySetResult \(from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint\)](#) 11
[Create a mapping between a property set and a site subscription example](#) 35
[Create a new property set and mapping to a site subscription example](#) 35
[Create a new property set example](#) 31

D

Data model - abstract
 [server](#) 13
[Delete a mapping between a property set and a site subscription example](#) 37
[Delete a property set example](#) 37

E

Events
 [local - server](#) 30
 [timer - server](#) 30
Examples
 [create a mapping between a property set and a site subscription](#) 35
 [create a new property set](#) 31
 [create a new property set and mapping to a site subscription](#) 35
 [delete a mapping between a property set and a site subscription](#) 37
 [delete a property set](#) 37

[fetch a property set](#) 34
 [fetch a site subscription property set](#) 36
 [fetch property set identifiers with property set type](#) 34
 [manage a site subscription property set](#) 31
 [overview](#) 31
 [update a property set](#) 33

F

[Fetch a property set example](#) 34
[Fetch a site subscription property set example](#) 36
[Fetch property set identifiers with property set type example](#) 34
[Fields - vendor-extensible](#) 8
[Full WSDL](#) 40

G

[Glossary](#) 6
[Groups](#) 12
[guid \(from namespace http://schemas.microsoft.com/2003/10/Serialization/\) simple type](#) 12

I

[Implementer - security considerations](#) 39
[Index of security parameters](#) 39
[Informative references](#) 7
Initialization
 [server](#) 13
[Introduction](#) 6

L

Local events
 [server](#) 30

M

[Manage a site subscription property set example](#) 31
Message processing
 [server](#) 13
Messages
 [attribute groups](#) 12
 [attributes](#) 12
 [complex types](#) 9
 [elements](#) 9
 [enumerated](#) 9
 [groups](#) 12
 [guid \(from namespace http://schemas.microsoft.com/2003/10/Serialization/\) simple type](#) 12
 [namespaces](#) 9
 [simple types](#) 11
 [SPSubscriptionSettingsActionFault \(from namespace](#)

http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10	DeleteMapping operation 14
SPSubscriptionSettingsActionFaultType (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) simple type 11	DeletePropertySet operation 16
SPSubscriptionSettingsPropertySet (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10	GetPropertySet operation 18
SPSubscriptionSettingsPropertySetInfo (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10	GetPropertySetIds operation 20
SPSubscriptionSettingsPropertySetResult (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 11	GetSubscriptionPropertySet operation 22
syntax 9	initialization 13
transport 9	local events 30
N	message processing 13
Namespaces 9	overview 13
Normative references 6	sequencing rules 13
O	SetMapping operation 24
Operations	SetPropertySet operation 26
DeleteMapping 14	SetSubscriptionPropertySet operation 28
DeletePropertySet 16	timer events 30
GetPropertySet 18	timers 13
GetPropertySetIds 20	Simple types 11
GetSubscriptionPropertySet 22	guid (from namespace http://schemas.microsoft.com/2003/10/Serialization/) 12
SetMapping 24	SPSubscriptionSettingsActionFaultType (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) 11
SetPropertySet 26	SPSubscriptionSettingsActionFault (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10
SetSubscriptionPropertySet 28	SPSubscriptionSettingsActionFaultType (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) simple type 11
Overview (synopsis) 7	SPSubscriptionSettingsPropertySet (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10
P	SPSubscriptionSettingsPropertySetInfo (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 10
Parameters - security index 39	SPSubscriptionSettingsPropertySetResult (from namespace http://schemas.datacontract.org/2004/07/Microsoft.SharePoint) complex type 11
Preconditions 8	Standards assignments 8
Prerequisites 8	Syntax
Product behavior 51	messages - overview 9
R	T
References	Timer events
informative 7	server 30
normative 6	Timers
Relationship to other protocols 7	server 13
S	Tracking changes 52
Security	Transport 9
implementer considerations 39	Types
parameter index 39	complex 9
Sequencing rules	simple 11
server 13	U
Server	Update a property set example 33
abstract data model 13	

V

[Vendor-extensible fields](#) 8
[Versioning](#) 8

W

[WSDL](#) 40