

[MS-ADMS]: Shared Abstract Data Model Elements

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft [Open Specification Promise](#) or the [Community Promise](#). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
06/04/2010	1.0	Major	First Release.
07/16/2010	1.1	Minor	Clarified the meaning of the technical content.
08/27/2010	2.0	Major	Significantly changed the technical content.
10/08/2010	3.0	Major	Significantly changed the technical content.
11/19/2010	4.0	Major	Significantly changed the technical content.
01/07/2011	4.0	No change	No changes to the meaning, language, or formatting of the technical content.
02/11/2011	5.0	Major	Significantly changed the technical content.
03/25/2011	6.0	Major	Significantly changed the technical content.
05/06/2011	7.0	Major	Significantly changed the technical content.
06/17/2011	7.1	Minor	Clarified the meaning of the technical content.

Contents

1	Introduction	4
2	Normative References	5
3	[MS-APDS] Public ADM Elements	7
4	[MS-BPAU] Public ADM Elements	8
5	[MS-CMPO] Public ADM Elements	9
6	[MS-DISO] Public ADM Elements	10
7	[MS-DSSP] Public ADM Elements	12
8	[MS-EFSR] Public ADM Elements	13
9	[MS-KILE] Public ADM Elements	14
10	[MS-LSAD] Public ADM Elements	15
11	[MS-WCCE] Public ADM Elements	16
12	Change Tracking	17
13	Index	19

1 Introduction

The Shared Abstract Data Model Elements document is a companion reference to the protocol specifications. It documents the public abstract data model (ADM) elements that are shared between two or more protocols in the protocol documentation set.

A public ADM element is an element that can be directly accessed from outside a protocol.

In the following tables, the first column lists the document, section, and ADM element name that define the public ADM element. The second column lists the documents, section numbers, and names of the local elements that access the public ADM element.

2 Normative References

References to Microsoft Open Specification documents do not include a publishing year because links are to the latest version of the documents, which are updated frequently. References to other documents include a publishing year when one is available.

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[MS-APDS] Microsoft Corporation, "[Authentication Protocol Domain Support Specification](#)".

[MS-BPAU] Microsoft Corporation, "[Background Intelligent Transfer Service \(BITS\) Peer-Caching: Peer Authentication Protocol Specification](#)".

[MS-BPCR] Microsoft Corporation, "[Background Intelligent Transfer Service \(BITS\) Peer-Caching: Content Retrieval Protocol Specification](#)".

[MS-CMOM] Microsoft Corporation, "[MSDTC Connection Manager: OleTx Management Protocol Specification](#)".

[MS-CMP] Microsoft Corporation, "[MSDTC Connection Manager: OleTx Multiplexing Protocol Specification](#)".

[MS-CMPO] Microsoft Corporation, "[MSDTC Connection Manager: OleTx Transports Protocol Specification](#)".

[MS-CSRA] Microsoft Corporation, "[Certificate Services Remote Administration Protocol Specification](#)".

[MS-DHCPM] Microsoft Corporation, "[Microsoft Dynamic Host Configuration Protocol \(DHCP\) Server Management Protocol Specification](#)".

[MS-DISO] Microsoft Corporation, "[Domain Interactions System Overview](#)".

[MS-DSSP] Microsoft Corporation, "[Directory Services Setup Remote Protocol Specification](#)".

[MS-DTCM] Microsoft Corporation, "[MSDTC Connection Manager: OleTx Transaction Internet Protocol Specification](#)".

[MS-DTCO] Microsoft Corporation, "[MSDTC Connection Manager: OleTx Transaction Protocol Specification](#)".

[MS-EFSR] Microsoft Corporation, "[Encrypting File System Remote \(EFSRPC\) Protocol Specification](#)".

[MS-GPEF] Microsoft Corporation, "[Group Policy: Encrypting File System Extension](#)".

[MS-GPOL] Microsoft Corporation, "[Group Policy: Core Protocol Specification](#)".

[MS-KILE] Microsoft Corporation, "[Kerberos Protocol Extensions](#)".

[MS-LSAD] Microsoft Corporation, "[Local Security Authority \(Domain Policy\) Remote Protocol Specification](#)".

[MS-MQDMPR] Microsoft Corporation, "[Message Queuing \(MSMQ\): Common Data Model and Processing Rules](#)".

[MS-NRPC] Microsoft Corporation, "[Netlogon Remote Protocol Specification](#)".

[MS-RPCE] Microsoft Corporation, "[Remote Procedure Call Protocol Extensions](#)".

[MS-SAMR] Microsoft Corporation, "[Security Account Manager \(SAM\) Remote Protocol Specification \(Client-to-Server\)](#)".

[MS-RRP] Microsoft Corporation, "[Windows Remote Registry Protocol Specification](#)".

[MS-WCCE] Microsoft Corporation, "[Windows Client Certificate Enrollment Protocol Specification](#)".

[MS-WKST] Microsoft Corporation, "[Workstation Service Remote Protocol Specification](#)".

3 [MS-APDS] Public ADM Elements

This section lists the public ADM elements in [\[MS-APDS\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-APDS] section 3.1.1, ADM element ImpersonationAccessToken	[MS-RPCE] section 3.3.3.4.3, ADM element RpcImpersonationAccessToken

4 [MS-BPAU] Public ADM Elements

This section lists the public ADM elements in [\[MS-BPAU\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-BPAU] section 3.1.1.1, ADM element Local Certificate	[MS-BPCR] section 3.2.5.2, ADM element Local Certificate
[MS-BPAU] section 3.2.1.1, ADM element Local Certificate	[MS-BPCR] section 3.1.5, ADM element Local Certificate

5 [MS-CMPO] Public ADM Elements

This section lists the public ADM elements in [\[MS-CMPO\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-CMPO] section 3.2.1.1, ADM element Minimum Level 2 Version Number	[MS-CMP] section 3.1.1, ADM element Minimum Level 2 Version Number [MS-CMP] section 3.1.3.2, ADM element Minimum Level 2 Version Number
[MS-CMPO] section 3.2.1.1, ADM element Maximum Level 2 Version Number	[MS-CMP] section 3.1.1, ADM element Maximum Level 2 Version Number [MS-CMP] section 3.1.3.2, ADM element Minimum Level 2 Version Number
[MS-CMPO] section 3.2.1.1, ADM element Minimum Level 3 Version Number	[MS-CMOM] section 3.2.4.1, ADM element Minimum Level 3 Version Number [MS-CMP] section 3.1.1, ADM element Minimum Level 3 Version Number [MS-CMP] section 3.1.3.1, ADM element Minimum Level 3 Version Number [MS-DTCM] section 3.1.3, ADM element Minimum Level 3 Version Number [MS-DTCO] section 2.1.2, ADM element Minimum Level 3 Version Number [MS-DTCO] section 3.1.4.2, ADM element Minimum Level 3 Version Number [MS-DTCO] section 3.2.3, ADM element Minimum Level 3 Version Number
[MS-CMPO] section 3.2.1.1, ADM element Maximum Level 3 Version Number	[MS-CMOM] section 3.2.4.1, ADM element Maximum Level 3 Version Number [MS-CMP] section 3.1.1, ADM element Maximum Level 3 Version Number [MS-CMP] section 3.1.3.1, ADM element Maximum Level 3 Version Number [MS-DTCM] section 3.1.3, ADM element Maximum Level 3 Version Number [MS-DTCM] section 3.1.8, ADM element Maximum Level 3 Version Number [MS-DTCO] section 2.1.2, ADM element Maximum Level 3 Version Number [MS-DTCO] section 3.1.4.2, ADM element Maximum Level 3 Version Number [MS-DTCO] section 3.2.3, ADM element Maximum Level 3 Version Number
[MS-CMPO] section 3.2.1.1, ADM element Security Level	[MS-DTCO] section 2.1.2, ADM element Security Level [MS-DTCO] section 3.2.3, ADM element Security Level

6 [MS-DISO] Public ADM Elements

This section lists the public ADM elements in [\[MS-DISO\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-DISO] section 4.3.1.1, ADM element DomainName.NetBIOS	[MS-DSSP] section 3.2.1, ADM element NetBIOSDomainName [MS-KILE] section 3.3.1, ADM element NetbiosDomainName [MS-NRPC] section 3.4.1, ADM element domain-name [MS-NRPC] section 3.5.1, ADM element NetbiosDomainName [MS-WKST] section 3.2.4.12, ADM element DomainName.NetBIOS
[MS-DISO] section 4.3.1.1, ADM element DomainName.FQDN	[MS-DSSP] section 3.2.1, ADM element DNSDomainName [MS-NRPC] section 3.5.1, ADM element DNSDomainName [MS-WKST] section 3.2.1.5, ADM element DomainName [MS-WCCE] section 3.2.1.1, ADM element CA_DNS_Domain_Name
[MS-DISO] section 4.3.1.1, ADM element DomainSid	[MS-KILE] section 3.3.1, ADM element DomainSid [MS-NRPC] section 3.5.1, ADM element DomainSid [MS-WKST] section 3.2.1.5, ADM element DomainSid
[MS-DISO] section 4.3.1.1, ADM element DomainGuid	[MS-DSSP] section 3.2.1, ADM element DomainGUID [MS-NRPC] section 3.5.1, ADM element DomainGuid
[MS-DISO] section 4.3.1.1, ADM element SiteName	[MS-GPOL] section 2.2.3, ADM element SiteName
[MS-DISO] section 4.3.1.1, ADM element ForestNameFQDN	[MS-DSSP] section 3.2.1, ADM element ForestName [MS-RMPR] section 3.1.1.2.4, ADM element ForestName
[MS-DISO] section 4.3.1.1, ADM element ClientName	[MS-WCCE] section 3.2.1.1, ADM element CA_Client_Name
[MS-DISO] section 4.3.1.1, ADM element ComputerName.NetBIOS	[MS-DTCQ] section 3.2.3, ADM element HostName [MS-KILE] section 3.3.1, ADM element NetbiosServerName [MS-WKST] section 3.2.1.5, ADM element ComputerNameNetBIOS

ADM element	Accessed by
[MS-DISO] section 4.3.1.1, ADM element ComputerName.FQDN	[MS-GPOL] section 3.2.4, ADM element ComputerName.FQDN [MS-WKST] section 3.2.1.5, ADM element ComputerNameFQDN
[MS-DISO] section 4.3.1.1, ADM element Password	[MS-NRPC] section 3.1.1, ADM element SharedSecret

7 [MS-DSSP] Public ADM Elements

This section lists the public ADM elements in the [Directory Services Setup Remote Protocol](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-DSSP] section 3.2.1, ADM element ComputerRole	[MS-ADSO] section 6.2.3 , ADM element ComputerRole .
[MS-DSSP] section 3.2.1, ADM element ComputerRole	[MS-ADSO] section 6.2.7.2 , ADM element ComputerRole .

8 [MS-EFSR] Public ADM Elements

This section lists the public ADM elements in [\[MS-EFSR\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-EFSR] section 3.1.1.1, ADM element RequireV3Template	[MS-GPEF] section 3.2.1, ADM element RequireV3Template
[MS-EFSR] section 3.1.1.1, ADM element DisallowV3Template	[MS-GPEF] section 3.2.1, ADM element DisallowV3Template
[MS-EFSR] section 3.1.1.1, ADM element RequireSmartCard	[MS-GPEF] section 3.2.1, ADM element RequireSmartCard
[MS-EFSR] section 3.1.1.1, ADM element TemplateName	[MS-GPEF] section 3.2.1, ADM element TemplateName
[MS-EFSR] section 3.1.1.2, ADM element EfsDisabled	[MS-GPEF] section 3.2.1, ADM element EfsDisabled

9 [MS-KILE] Public ADM Elements

This section lists the public ADM elements in [\[MS-KILE\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-KILE] section 3.4.1, ADM element ImpersonationAccessToken	[MS-RPCE] section 3.3.3.4.3, ADM element RpcImpersonationAccessToken

10 [MS-LSAD] Public ADM Elements

This section lists the public ADM elements in [\[MS-LSAD\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-LSAD] section 3.1.1.1, ADM element AuthenticationOptions	[MS-KILE] section 3.1.1, ADM element AuthenticationOptions
[MS-LSAD] section 3.1.1.1, ADM element MaxServiceTicketAge	[MS-KILE] section 3.1.1, ADM element MaxServiceTicketAge
[MS-LSAD] section 3.1.1.1, ADM element MaxTicketAge	[MS-KILE] section 3.1.1, ADM element MaxTicketAge
[MS-LSAD] section 3.1.1.1, ADM element MaxRenewAge	[MS-KILE] section 3.1.1, ADM element MaxRenewAge
[MS-LSAD] section 3.1.1.1, ADM element MaxClockSkew	[MS-KILE] section 3.1.1, ADM element MaxClockSkew
[MS-LSAD] section 3.1.1.1, ADM element DNS Domain Information.Name	[MS-DISO] section 4.3.1.1, ADM element DomainName.NetBIOS
[MS-LSAD] section 3.1.1.1, ADM element DNS Domain Information.DnsDomainName	[MS-DISO] section 4.3.1.1, ADM element DomainName.FQDN
[MS-LSAD] section 3.1.1.1, ADM element DNS Domain Information.Sid	[MS-DISO] section 4.3.1.1, ADM element DomainSID
[MS-LSAD] section 3.1.1.1, ADM element Primary Domain Information.Sid	[MS-DISO] section 4.3.1.1, ADM element DomainSID
[MS-LSAD] section 3.1.1.1, ADM element DNS Domain Information.DomainGuid	[MS-DISO] section 4.3.1.1, ADM element DomainGuid
[MS-LSAD] section 3.1.1.1, ADM element DNS Domain Information.DnsForestName	[MS-DISO] section 4.3.1.1, ADM element ForestNameFQDN

11 [MS-WCCE] Public ADM Elements

This section lists the public ADM elements in [\[MS-WCCE\]](#) and the protocols that access them. The ADM element name that each protocol uses is listed in the second column.

ADM element	Accessed by
[MS-WCCE] section 3.2.1.1.2 (Server) ADM element Signing_Cert_Certificate	[MS-CSRA] section 3.1.1.11, ADM element Signing_Cert_Certificate
[MS-WCCE] section 3.2.1.1.2 (Server) ADM element Signing_Private_Key	[MS-CSRA] section 3.1.4.1.6, ADM element Signing_Private_Key
[MS-WCCE] section 3.2.1.1.2 (Server) ADM element Signing_Cert_Version_ID	[MS-CSRA] section 3.1.4.1.6, ADM element Signing_Cert_Version_ID
[MS-WCCE] section 3.2.1.1.2 (Server) ADM element Signing_Private_Key_Version_ID	[MS-CSRA] section 3.1.4.1.6, ADM element Signing_Private_Key_Version_ID
[MS-WCCE] section 3.2.1.1.2 (Server) ADM element Signing_Cert Table	[MS-CSRA] section 3.1.1.11, ADM element Signing_Cert Table

12 Change Tracking

This section identifies changes that were made to the [MS-ADMS] protocol document between the May 2011 and June 2011 releases. Changes are classified as New, Major, Minor, Editorial, or No change.

The revision class **New** means that a new document is being released.

The revision class **Major** means that the technical content in the document was significantly revised. Major changes affect protocol interoperability or implementation. Examples of major changes are:

- A document revision that incorporates changes to interoperability requirements or functionality.
- An extensive rewrite, addition, or deletion of major portions of content.
- The removal of a document from the documentation set.
- Changes made for template compliance.

The revision class **Minor** means that the meaning of the technical content was clarified. Minor changes do not affect protocol interoperability or implementation. Examples of minor changes are updates to clarify ambiguity at the sentence, paragraph, or table level.

The revision class **Editorial** means that the language and formatting in the technical content was changed. Editorial changes apply to grammatical, formatting, and style issues.

The revision class **No change** means that no new technical or language changes were introduced. The technical content of the document is identical to the last released version, but minor editorial and formatting changes, as well as updates to the header and footer information, and to the revision summary, may have been made.

Major and minor changes can be described further using the following change types:

- New content added.
- Content updated.
- Content removed.
- New product behavior note added.
- Product behavior note updated.
- Product behavior note removed.
- New protocol syntax added.
- Protocol syntax updated.
- Protocol syntax removed.
- New content added due to protocol revision.
- Content updated due to protocol revision.
- Content removed due to protocol revision.

- New protocol syntax added due to protocol revision.
- Protocol syntax updated due to protocol revision.
- Protocol syntax removed due to protocol revision.
- New content added for template compliance.
- Content updated for template compliance.
- Content removed for template compliance.
- Obsolete document removed.

Editorial changes are always classified with the change type **Editorially updated**.

Some important terms used in the change type descriptions are defined as follows:

- **Protocol syntax** refers to data elements (such as packets, structures, enumerations, and methods) as well as interfaces.
- **Protocol revision** refers to changes made to a protocol that affect the bits that are sent over the wire.

The changes made to this document are listed in the following table. For more information, please contact protocol@microsoft.com.

Section	Tracking number (if applicable) and description	Major change (Y or N)	Change type
2 Normative References	Added explanatory statement regarding the removal of the publishing year from Microsoft Open Specification document references. CT minor content update.	N	Content updated.

13 Index

A

[AuthenticationOptions ADM element](#) 15

C

[Change tracking](#) 17

[ClientName ADM element](#) 10

[ComputerName.FQDN ADM element](#) 10

[ComputerName.NetBIOS ADM element](#) 10

[ComputerRole ADM element](#) 12

D

[DisallowV3Template ADM element](#) 13

DNS Domain

[Information.DnsDomainName ADM element](#) 15

[Information.DnsForestName ADM element](#) 15

[Information.DomainGuid ADM element](#) 15

[Information.Name ADM element](#) 15

[Information.Sid ADM element](#) 15

[DomainGuid ADM element](#) 10

[DomainName.FQDN ADM element](#) 10

[DomainName.NetBIOS ADM element](#) 10

[DomainSid ADM element](#) 10

F

[ForestNameFQDN ADM element](#) 10

I

ImpersonationAccessToken ADM element ([section 3](#)
7, [section 9](#) 14)

[Introduction](#) 4

L

[Local Certificate ADM element](#) 8

M

[MaxClockSkew ADM element](#) 15

[Maximum Level 2 Version Number ADM element](#) 9

[Maximum Level 3 Version Number ADM element](#) 9

[MaxRenewAge ADM element](#) 15

[MaxServiceTicketAge ADM element](#) 15

[MaxTicketAge ADM element](#) 15

[Minimum Level 2 Version Number ADM element](#) 9

[Minimum Level 3 Version Number ADM element](#) 9

N

[Normative references](#) 5

P

[Password ADM element](#) 10

[Primary Domain Information.Sid ADM element](#) 15

R

[References - normative](#) 5

[RequireSmartCard ADM element](#) 13

[RequireV3Template ADM element](#) 13

S

[Security Level ADM element](#) 9

[Signing Cert Table ADM element](#) 16

[Signing Cert Certificate ADM element](#) 16

[Signing Cert Version ID ADM element](#) 16

[Signing Private Key ADM element](#) 16

[Signing Private Key Version ID ADM element](#) 16

[SiteName ADM element](#) 10

T

[TemplateName ADM element](#) 13

[Tracking changes](#) 17