

[MS-ISO8859]: Microsoft 8-bit Single-byte Coded Graphic Character Sets Standards Support Document

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.
- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.
- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.
- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: <http://www.microsoft.com/interop/osp>) or the Community Promise (available here: <http://www.microsoft.com/interop/cp/default.mspx>). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplq@microsoft.com.
- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.
- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
03/26/2010	1.0	New	Released new document.
05/26/2010	1.2	None	Introduced no new technical or language changes.
09/08/2010	1.3	Major	Significantly changed the technical content.
02/10/2011	2.0	No change	Introduced no new technical or language changes.

Table of Contents

1	Introduction	4
1.1	Glossary	4
1.2	References.....	4
1.2.1	Normative References.....	4
1.2.2	Informative References	5
1.3	Microsoft Implementations.....	5
1.4	Standards Support Requirements	6
1.5	Notation	6
2	Standards Support Statements.....	7
2.1	Normative Variations.....	7
2.1.1	ISO-8859-1	7
2.1.2	ISO-8859-8	9
2.1.3	ISO-8859-9	9
2.1.4	ISO-8859-15	12
2.1.5	ISO-8859-16	12
2.2	Clarifications	14
2.3	Error Handling	14
2.4	Security.....	14
3	Change Tracking.....	15
4	Index	16

1 Introduction

This document describes the level of support provided by Windows® Internet Explorer® 7, Windows® Internet Explorer® 8, and Windows® Internet Explorer® 9 for the following specifications:

- *International Organization for Standardization, Information Technology -- 8-Bit Single-Byte Coded Graphic Character Sets -- Part 1: Latin Alphabet No. 1*, ISO/IEC 8859-1, 1998, [\[ISO-8859-1\]](#)
- *International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 8: Latin/Hebrew alphabet"*, 1999, [\[ISO-8859-8\]](#)
- *International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 9: Latin alphabet No. 5"*, 1999 [\[ISO-8859-9\]](#)
- *International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 15: Latin alphabet No. 9"*, 1999, [\[ISO-8859-15\]](#)
- *International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 16: Latin alphabet No. 10"*, 2001, [\[ISO-8859-16\]](#)

Windows® Internet Explorer® displays webpages written in HTML.

The [\[ISO-8859-1\]](#), [\[ISO-8859-8\]](#), [\[ISO-8859-9\]](#), [\[ISO-8859-15\]](#), and [\[ISO-8859-16\]](#) specifications may contain guidance for authors of webpages and browser users, in addition to user agents (browser applications). Statements found in this document apply only to normative requirements in the specification targeted to user agents, not those targeted to authors.

1.1 Glossary

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [\[RFC2119\]](#). All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site, <http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624>, as an additional source.

[ISO-8859-1] International Organization for Standardization, "Information Technology -- 8-Bit Single-Byte Coded Graphic Character Sets -- Part 1: Latin Alphabet No. 1", ISO/IEC 8859-1, 1998, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=28245

[ISO-8859-15] International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 15: Latin alphabet No. 9", 1999, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=29505

[ISO-8859-16] International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 16: Latin alphabet No. 10", 2001, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=33428

[ISO-8859-8] International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 8: Latin/Hebrew alphabet", 1999, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=28252

[ISO-8859-9] International Organization for Standardization, "Information technology -- 8-bit single-byte coded graphic character sets -- Part 9: Latin alphabet No. 5", 1999, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=28253

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <http://www.ietf.org/rfc/rfc2119.txt>

1.2.2 Informative References

[MSDN-CODEPG-Win1252] Microsoft Corporation, "Windows 1252", Windows Code Pages, <http://msdn.microsoft.com/en-us/global/cc305145.aspx>

1.3 Microsoft Implementations

The following Microsoft products implement some portion of the relevant specifications:

- Windows® Internet Explorer® 7
- Windows® Internet Explorer® 8
- Windows® Internet Explorer® 9

In addition, each version of Windows® Internet Explorer® implements multiple document modes, which can vary individually in their support of the standard. The following table lists the document modes available in each version of Internet Explorer:

Browser Version	Documents Modes Supported
Internet Explorer 7	Quirks Mode Standards Mode
Internet Explorer 8	Quirks Mode IE7 Mode IE8 Mode
Internet Explorer 9	Quirks Mode IE7 Mode IE8 Mode IE9 Mode

Throughout this document, the document mode appears first followed by the browser version in parentheses. Only those document modes and versions of Internet Explorer for which there is a variation note will be listed. If the document mode is not listed, conformance to the specification can be assumed.

Note "Standards mode" in Internet Explorer 7 and "IE7 mode" in Internet Explorer 8 refer to the same document mode. "IE7 mode" is the preferred way of referring to this document mode across all versions of the browser. In addition, "IE5 mode" and "Quirks mode" refer to the same document mode in Internet Explorer 9.

Throughout this document, Microsoft XML Core Services (MSXML) 3.0 is referred to as *MSXML3* and Microsoft XML Core Services (MSXML) 6.0 is referred to as *MSXML6*.

MSXML3 is the only version of MSXML that is implemented in Internet Explorer 7 and Internet Explorer 8. Both MSXML3 and MSXML6 are implemented in Internet Explorer 9.

1.4 Standards Support Requirements

To conform to [\[ISO-8859-1\]](#), [\[ISO-8859-8\]](#), [\[ISO-8859-9\]](#), [\[ISO-8859-15\]](#), and [\[ISO-8859-16\]](#), a user agent must implement all required portions of the specification. Any optional portions that have been implemented must also be implemented as described by the specification. Normative language is usually used to define both required and optional portions. (For more information, see [\[RFC2119\]](#).)

1.5 Notation

The following notations are used in this document to differentiate between notes of clarification, variation from the specification, and points of extensibility.

Notation	Explanation
C####	This identifies a clarification of ambiguity in the target specification. This includes imprecise statements, omitted information, discrepancies, and errata. This does not include data formatting clarifications.
V####	This identifies an intended point of variability in the target specification such as the use of MAY, SHOULD, or RECOMMENDED. (See [RFC2119] .) This does not include extensibility points.
E####	Because the use of extensibility points (such as optional implementation-specific data) can impair interoperability, this profile identifies such points in the target specification.

For document mode and browser version notation, see also section [1.3](#).

2 Standards Support Statements

This section contains a full list of variations, clarifications, and extension points in the Microsoft implementation of [\[ISO-8859-1\]](#), [\[ISO-8859-8\]](#), [\[ISO-8859-9\]](#), [\[ISO-8859-15\]](#), and [\[ISO-8859-16\]](#).

- Section [2.1](#) includes only those variations that violate a MUST requirement in the target specification.
- Section [2.2](#) describes further variations from MAY and SHOULD requirements.
- Section [2.3](#) identifies variations in error handling.
- Section [2.4](#) identifies variations that impact security.

2.1 Normative Variations

The following subsections detail the normative variations from MUST requirements in [\[ISO-8859-1\]](#), [\[ISO-8859-8\]](#), [\[ISO-8859-9\]](#), [\[ISO-8859-15\]](#), and [\[ISO-8859-16\]](#).

2.1.1 ISO-8859-1

All Document Modes (All Versions)

The following table describes variations from the [\[ISO-8859-1\]](#) character set:

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0080	U+0080	U+20AC	€
0x0082	U+0082	U+201A	,
0x0083	U+0083	U+0192	f
0x0084	U+0084	U+201E	„
0x0085	U+0085	U+2026	...
0x0086	U+0086	U+2020	†
0x0087	U+0087	U+2021	‡

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0088	U+0088	U+02C6	^
0x0089	U+0089	U+2030	‰
0x008A	U+008A	U+0161	Š
0x008B	U+008B	U+2039	‹
0x008C	U+008C	U+0152	Œ
0x008E	U+008E	U+017D	Ž
0x0091	U+0091	U+2018	‘
0x0092	U+0092	U+2019	’
0x0093	U+0093	U+201C	“
0x0094	U+0094	U+201D	”
0x0095	U+0095	U+2022	•
0x0096	U+0096	U+2013	—
0x0097	U+0097	U+2014	—
0x0098	U+0098	U+02DC	~

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0099	U+0099	U+2122	™
0x009A	U+009A	U+0161	Š
0x009B	U+009B	U+203A	›
0x009C	U+009C	U+0153	œ
0x009E	U+009E	U+017E	ž
0x009F	U+009F	U+0178	ÿ

The implementation of [\[ISO-8859-1\]](#) in Internet Explorer is closely related to the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#). The code ranges from 0x00 to 0x7F and from 0xA0 to 0xFF are the same in both [\[ISO-8859-1\]](#) and the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#).

MSXML3 and MSXML6

There are no variations from the [\[ISO-8859-1\]](#) character set.

2.1.2 ISO-8859-8

All Document Modes (All Versions)

The following table describes variations from the [\[ISO-8859-8\]](#) character set:

Charset Hex value	Unicode Point	Expected Character	Internet Explorer Unicode Point	Internet Explorer
0x00FD	U+200E	LRM (left-to-right mark)	0xF7BF	<box>
0x00FE	U+200F	RLM (right-to-left mark)	0xF7C0	<box>

2.1.3 ISO-8859-9

All Document Modes (All Versions)

The following table describes variations from the [\[ISO-8859-9\]](#) character set:

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0080	U+0080	U+20AC	€
0x0082	U+0082	U+201A	,
0x0083	U+0083	U+0192	f
0x0084	U+0084	U+201E	”
0x0085	U+0085	U+2026	...
0x0086	U+0086	U+2020	†
0x0087	U+0087	U+2021	‡
0x0088	U+0088	U+02C6	^
0x0089	U+0089	U+2030	‰
0x008A	U+008A	U+0161	š
0x008B	U+008B	U+2039	‹
0x008C	U+008C	U+0152	Œ
0x008E	U+008E	U+017D	ž
0x0091	U+0091	U+2018	‘

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0092	U+0092	U+2019	,
0x0093	U+0093	U+201C	“
0x0094	U+0094	U+201D	”
0x0095	U+0095	U+2022	•
0x0096	U+0096	U+2013	—
0x0097	U+0097	U+2014	—
0x0098	U+0098	U+02DC	~
0x0099	U+0099	U+2122	™
0x009A	U+009A	U+0161	š
0x009B	U+009B	U+203A	›
0x009C	U+009C	U+0153	œ
0x009E	U+009E	U+017E	ž
0x009F	U+009F	U+0178	ÿ

The implementation of [\[ISO-8859-9\]](#) in Internet Explorer is closely related to the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#). The code ranges from 0x00 to 0x7F and from 0xA0 to 0xFF are the same in both [\[ISO-8859-9\]](#) and the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#).

There are no variations from the [\[ISO-8859-9\]](#) character set.

2.1.4 ISO-8859-15

There are no variations from the [\[ISO-8859-15\]](#) character set.

2.1.5 ISO-8859-16

All Document Modes (All Versions)

The following table describes variations from the [\[ISO-8859-16\]](#) character set:

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x0080	U+0080	U+20AC	€
0x0082	U+0082	U+201A	,
0x0083	U+0083	U+0192	f
0x0084	U+0084	U+201E	„
0x0085	U+0085	U+2026	...
0x0086	U+0086	U+2020	†
0x0087	U+0087	U+2021	‡
0x0088	U+0088	U+02C6	^
0x0089	U+0089	U+2030	‰
0x008A	U+008A	U+0161	š

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x008B	U+008B	U+2039	‹
0x008C	U+008C	U+0152	Œ
0x008E	U+008E	U+017D	Ž
0x0091	U+0091	U+2018	‘
0x0092	U+0092	U+2019	’
0x0093	U+0093	U+201C	“
0x0094	U+0094	U+201D	”
0x0095	U+0095	U+2022	•
0x0096	U+0096	U+2013	—
0x0097	U+0097	U+2014	—
0x0098	U+0098	U+02DC	~
0x0099	U+0099	U+2122	™
0x009A	U+009A	U+0161	š
0x009B	U+009B	U+203A	›

Charset Hex value	Expected Unicode Point	Internet Explorer Unicode Point	Internet Explorer Glyph
0x009C	U+009C	U+0153	œ
0x009E	U+009E	U+017E	ž
0x009F	U+009F	U+0178	ÿ

The implementation of [\[ISO-8859-16\]](#) in Internet Explorer is closely related to the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#). The code ranges from 0x00 to 0x7F and from 0xA0 to 0xFF are the same in both [\[ISO-8859-16\]](#) and the Windows-1252 code page [\[MSDN-CODEPG-Win1252\]](#).

MSXML3

There are no variations from the [\[ISO-8859-16\]](#) character set.

2.2 Clarifications

There are no additional clarifications to [\[ISO-8859-1\]](#), [\[ISO-8859-8\]](#), [\[ISO-8859-9\]](#), [\[ISO-8859-15\]](#), and [\[ISO-8859-16\]](#).

2.3 Error Handling

There are no additional considerations for error handling.

2.4 Security

There are no additional security considerations.

3 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

4 Index

C

[Change tracking](#) 15

Character Sets

[ISO-8859-1](#) 7

[ISO-8859-15](#) 12

[ISO-8859-16](#) 12

[ISO-8859-8](#) 9

[ISO-8859-9](#) 9

G

[Glossary](#) 4

I

[Informative references](#) 5

[Introduction](#) 4

N

[Normative references](#) 4

R

References

[informative](#) 5

[normative](#) 4

T

[Tracking changes](#) 15